

**KANSAS DEPARTMENT OF TRANSPORTATION  
SPECIAL PROVISION TO THE  
STANDARD SPECIFICATIONS, EDITION 2007**

**SECTION 604**

**COLD RECYCLED ASPHALT CONSTRUCTION (CIR)**

**Page 600-32, subsection 604.1. Change the bid item “Blotter Sand” to “Blotter Sand (Set Price)”.**

**Page 600-32, TABLE 604-1, change title to: “RAP MATERIAL FOR CIR”**

**Page 600-34, delete subsection 604.3h. replace with the following:**

**h. Weather and Seasonal Limitations.** Complete milling, adding the liquid binder and laydown between May 1 and September 30, when the ambient air temperature is greater than 50°F and rising, the weather is not rainy or foggy and the weather forecast does not call for freezing temperature within 48 hours after placement. The above requirement may be waived, when approved in writing by the Engineer.

**Page 600-34, subsection 604.4. Delete the fifth paragraph and replace with the following:**

Payment for “Cold Recycled Asphalt Material”, “Lime (Hydrated) (Slurry)” and “Emulsified Asphalt (CSS) (Special)” at the contract unit prices and “Blotter Sand (Set Price)” and “Emulsified Asphalt (CSS-1H or SS-1H) Cure (Set Price)” at the contract set unit prices is full compensation for the specified work.

11-2-10 M&R (GMS)  
Nov-10 Letting