

**1906 - ASPHALT COATED CORRUGATED METAL PIPE,
PIPE ARCHES, COUPLING BANDS AND STRUCTURAL PLATE**

SECTION 1906

**ASPHALT COATED CORRUGATED METAL PIPE,
PIPE ARCHES, COUPLING BANDS AND STRUCTURAL PLATE**

1906.1 DESCRIPTION

This specification covers asphalt coated corrugated metal pipe, pipe arches, coupling bands and structural plate. The following four types of treatments are included:

- Type A. Fully Asphalt Coated
- Type B. Half Asphalt Coated with Paved Invert
- Type C. Fully Asphalt Coated with Paved Invert
- Type D. Fully Asphalt Coated and 100% Paved or Lined

1906.2 REQUIREMENTS

- a. Provide "Type A" coated pipe unless otherwise specified in the Contract Documents.

- b. Supply asphalt coated corrugated metal pipe, pipe arches, coupling bands and structural plate complying with AASHTO M 190 with the following revisions or additions:
 - (1) Asphalt coat only corrugated metal pipe, pipe arches, coupling bands and structural plate that comply with the applicable **SECTIONS 1904** and **1905**.
 - (2) Do not apply the Imperviousness Test in AASHTO M 190.

- c. As an alternate, coat corrugated structural plate in accordance with AASHTO M 243.

1906.3 TEST METHODS

Test in accordance with the methods shown in AASHTO M 190 and/or M 243.

1906.4 PREQUALIFICATION

None Required

1906.5 BASIS OF ACCEPTANCE

Asphalt coated corrugated metal pipe, pipe arches, coupling bands and structural plates are accepted based on receipt and approval of a Type D certification as specified in **DIVISION 2600** and visual inspection for conditions and dimensional requirements.