Kansas Permit No.: M-M005-SU01

Federal Permit No.: KSR410010

KANSAS WATER POLLUTION CONTROL MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4) PERMIT AND AUTHORIZATION TO DISCHARGE UNDER THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM

Pursuant to the provisions of Kansas Statutes Annotated 65-164 and 65-165, the Federal Water Pollution Control Act as amended, 33 U.S.C. 1251 $\underline{\text{et}}$ $\underline{\text{seq}}$., the "Act",

Permittee:

Kansas Department of Transportation-St. Joseph

Permittee's Address:

700 Harrison, 7th Floor

Topeka, KS 66603

Drainage Basin:

Missouri River

County:

Doniphan

is hereby authorized to discharge stormwater from the municipal separate storm sewer system (MS4) as described herein in accordance with the limitations, conditions and requirements set forth in this permit.

This permit is effective <u>December 1, 2019</u>, supersedes the previously issued MS4 general permit M-MO05-SU01 and expires November 30, 2024.

PERMIT AREA AND AUTHORIZED DISCHARGES

This permit covers all areas within the permittee's MS4 jurisdiction which are also located in the St. Joseph urbanized area as defined by the 2010 U.S. Census (the Permit Area). The Permit Area may change based upon areas incorporated into or removed from the permittee's jurisdictional area during the term of this permit.

This permit authorizes the discharge of all existing or new stormwater point source discharges from the Municipal Separate Storm Sewer System (MS4) located within the Permit Area. New stormwater discharges are those which are created and/or incorporated into the permittee's MS4 during the term of this permit.

Lee a. Kornan and

Secretary, Kansas Department of Health and Environment

November 20, 2019

Date

PART I. STORMWATER MANAGEMENT PROGRAM (SMP) DOCUMENT REQUIREMENTS

A. Current Stormwater Management Program

The permittee shall continue to implement and enforce the current Stormwater Management Program (SMP), as documented in the SMP document, until an updated SMP is implemented.

Any updated SMP shall be designed to:

- 1. Reduce the discharge of pollutants from the municipal separate storm sewer system (MS4) to the Maximum Extent Practicable (MEP),
- 2. Continue to implement the six minimum control measures as listed in PART I Section C,
- 3. Satisfy the requirements of this permit, the Clean Water Act and Kansas surface water quality statutes and regulations.

Implementation of Best Management Practices (BMPs) consistent with the provisions of the SMP document and this permit constitutes compliance with the standard of reducing pollutants to the Maximum Extent Practicable.

B. Updated Stormwater Management Program document

The SMP shall be updated and submitted to KDHE between January 1 and February 28 of 2021 (submitted with the Annual Report and the updated SMP must be effective in 2021). As this permit imposes additional requirements for implementation of BMPs and/or surface water monitoring [see PART II. Total Maximum Daily Load (TMDL) Best Management Practices and Surface Water Monitoring] beyond what the previous permit imposed, the current SMP shall be modified with the SMP document updated to include the additional requirements imposed by this permit. Some specific requirements for updating the SMP document are addressed in PART I Section D. "Total Maximum Daily Load (TMDL) Regulated Pollutants." Additionally, to comply with new EPA regulations [National Pollutant Discharge Elimination System (NPDES) Municipal Separate Storm Sewer System General Permit Remand Rule (Remand Rule)], as finalized and effective January 9, 2017, this permit must include requirements in clear, specific, and measurable terms. Tables of BMPs are listed along with point values, and the permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year beginning in 2021. The Remand Rule was published on December 9, 2016 in the Federal Register, Vol. 81, No. 237 beginning on page 89320.

This rule clarifies that terms and conditions must be expressed in terms which are "clear, specific, and measurable." The permit requirements must be enforceable and must provide a set of performance expectations and schedules readily understood by the permittee, the public, and the permitting authority alike. To provide as much flexibility to the permittee in implementing their stormwater management program in compliance with this permit and the Remand Rule, KDHE has elected to establish a point system and a list of various BMPs, tasks, or other conditions with associated point values to be tallied and demonstrate compliance with the total point requirement for each of the Six Minimum Control Measures and TMDL BMPs when required.

Modification of the SMP is permitted as the need arises. Modifications can be accomplished with any of the following methods:

- 1. Normally the SMP document is updated near the end of the calendar year and submitted to KDHE for review along with the annual report which is due after the first of the calendar year but before the 28th of February. In this case the permittee can begin implementation of the new SMP as soon as they have submitted the SMP to KDHE. The permittee is required to implement the SMP, which was most recently submitted to KDHE along with the annual report, throughout the entire year and may continue to implement the updated SMP until subsequently modified. The updated SMP as submitted must be approved by KDHE. If KDHE finds the SMP is not approvable, requirements for modification and resubmittal will be addressed to the permittee.
- 2. If it becomes necessary to modify the SMP at some time other than when the annual report is submitted to KDHE, the permittee may make the modifications to the SMP document and submit the SMP document to KDHE for approval. The permittee shall not begin implementation of the modified SMP until after KDHE has provided approval. KDHE may provide full approval of the modified SMP, or may provide conditional approval, may require revision of the modified SMP document and resubmission for subsequent review or may elect to not approve the modified SMP.
- 3. KDHE may require the permittee modify the SMP at any time, requirements for modification and resubmittal will be addressed to the permittee

C. Six Minimum Control Measures

The Permittee shall continue to review, update and implement BMPs with measurable goals for each of the six minimum control measures. The six minimum control measures and requirements are as follows:

1. Public Education and Outreach

The permittee shall continue to implement a public education program which includes distribution of educational materials to the community or conducting equivalent outreach activities which address the impacts of stormwater discharges on water bodies and the steps the public can take to reduce pollutants in stormwater runoff.

a. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 4 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 7 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings or public forums; a single public hearing or forum can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Public Education and Outreach program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule etc.	Points
Lbmp P Ed & O - 01			
Maintain a stormwater webpage for the permittee.	Maintain the webpage with up to date information with all links effective and valid information. Check all links and update website as necessary on a minimum monthly basis. Document monthly checks in log book and indicate changes with logged summaries.	The webpage must be available throughout the year once it is posted and initially made available. In the initial year posted it must be available for a minimum of 3 months to qualify for the points. In subsequent calendar years the points may be claimed if the webpage has been maintained throughout the twelve months.	3 points may be claimed in the first year implemented, and 2 points may be claimed for each successive year the webpage is maintained available.
Distribute educational materials (either flyers, brochures, catalog mailings, handouts, or e-mails) addressing various pertinent stormwater public education topics.	Number of all flyers, brochures, catalog mailings, handouts, or e-mails distributed in a year shall equal or exceed the most recent U.S. Census Bureau decennial housing units value for the permit area. The applicable U.S. Census housing units value shall be documented, and the number of flyers, brochures, or e-mails distributed shall also be documented. This information and copies of the flyers, brochures, or e-mails shall be retained on file.	Either flyers, brochures, catalog mailings, handouts, or e-mails are to be distributed in at least two separate batches, ideally in separate seasons (either winter, spring, summer or fall). However, the required number of flyers, brochures, or e-mails must be distributed in a single calendar year and the points can be claimed for that year.	2 points may be claimed in a year in which the required number of flyers, brochures, catalog mailings, handouts, or e-mails are distributed.
Provide either training or educational materials to permittee identified businesses at high risk of contributing to stormwater pollution.	Training or educational materials must be provided, within the year, to at least five separate businesses	The required amount of training or distribution of educational materials must occur within the	2 points may be claimed in any year in which the required amount of training or distribution of educational

Such businesses can	if the population of	year for which	material
include, but are not limited to, food service, auto service,	the municipality is greater than 10,000, or three businesses	points are claimed.	Occurs.
disaster response and janitorial services. The	if the population of the municipality is		
training or educational	between 3,000 and		
materials shall address best management	9,999, or two separate businesses		
practices they can	if the population of	ona 1996 P. Comando de la estado Videra de la comerción de la comerción de la comerción de la comerción de la La comerción de la comerción d La comerción de la comerción d	. 200 - 100
employ to minimize or avoid adverse stormwater	the municipality is less than 3,000.		
impacts due to their	ress chair 3,000.		
operations.	There is no		
	requirement to provide training to		
	business in separate		
	business categories, although it is		
	allowed.		
Apply notification, placard, covers/hatches with message, or stencil, on stormwater inlets to provide a message similar to "No Dumping - Drains to River"	Apply this notification on at least 10% of all known stormwater inlets in the MS4.	The required number of placards, covers/hatches with message, or stencils must be placed within the year for which points are claimed. Alternately, points may be claimed in any subsequent year when an additional 5% of all known stormwater inlets in the MS4 bear the placard, covers/hatches with message, or stencil.	2 points may be claimed in years when the required number of inlets (10%) receive placards, covers/hatches with message, or stencils or in subsequent years when an additional 5% of all known stormwater inlets in the MS4 bear the placard, covers/hatches with message, or stencil.
Lbmp P Ed & O - 05			
Post the municipality's MS4 permit and SMP document on either the stormwater web page or the municipal webpage.	The two documents must be posted for at least six months of the year to claim one point.	Months for which the posting occurs must be within the year for which points are claimed. No "carryover" of months from one year to the next.	1 point may be claimed for posting each year (minimum of at least six months).
Lbmp P Ed & O - 06		A service of the second service of the second secon	2 points may
			be claimed for each year
Provide either a	Respond to all	The	the hotline /
stormwater telephone	reported complaints	hotline/reporting	reporting
hotline or web based or	within 10 days and,	system must be	system is

text message method for if found valid, available to the maintained and public reporting of resolve or establish public for at least available. An illicit discharges. a schedule for six months in the additional resolution within 20 year to claim the point may be days. Actual points. claimed for resolution may take each illicit more than 20 days, discharge but the schedule for resolved in resolution must be the year up to finalized and the a limit of 2 efforts to implement additional resolution must begin points per within 20 days year. One following receipt of point allowed complaint. Document per illicit complaints and discharge response/resolution resolved. process for all complaints received in the year. Resolution of an illicit discharge can include, but is not limited to; elimination of the discharge; on-site treatment to allow discharge to the MS4 (normally requires an NPDES permit); redirecting the discharge to a location that the discharge is not considered illicit, i.e., sanitary sewer or to holding tanks to allow the waste to be hauled off for appropriate treatment, reuse/recycle or disposal. Lbmp P Ed & 0 - 07 3 points may Provide educational Identify and educate All the be claimed material annually to at at least 4 requirements for each year this least four groups, groups/entities from sending educational BMP is including each of the the listed types material to the implemented in following types: annually developing various groups must compliance Residents, topics that are group occur in a single with the Businesses/Institutions, specific and address year to qualify for specified Commercial activities and or the points in that requirements. pollutants of entities/Developers, and year. Industrial facilities. concern.

The educational material

may be provided as any of the following: > Brochures > Flyers > E-mails > Press release			
Provide stormwater education for students at a school campus within K-12 (those grades present at the campus) within the permittee's jurisdiction or within 30 miles from this permit area. The training may be limited to the individual campus (local school buildings associated with a single address). This training does not need to be provided to the entire school system, e.g., USD. Alternately, funding stormwater BMP installations and/or field trips at the school campus will qualify.	Provide or fund an educator or speaker that will reach at least 5% of the K-12 students as normally attend school in the selected school campus. Alternately, the funding of BMPs at the school campus may provide for any of the following: Installation of BMPs at the school Installation of BMPs at the school stormwater related field trips water quality stream sampling activities construction of rain gardens on school property rain barrel workshops rain garden workshops	All of the required students (5% minimum) in K-12 at the selected campus must be educated in a single year to qualify for the points in that year. Alternately, stormwater BMPs may be funded at a school campus where students may participate in installation or observe operation of the BMPs. Any of the items listed under measurable goals qualify.	3 points may be claimed each year this BMP is implemented in compliance with the specified requirements (provide education and/or fund stormwater BMP installations at the school campus).
1. Operate an information booth at a large public event, (such as a sports event, fair, or music festival) where at least an estimated 1,000 or more individuals attend. 2. Alternately, operate an	Provide information about stormwater topics of current interest.	All events shall have the booth staffed by the permittee for at least 50% of the days the event occurs.	2 points may be claimed each year this BMP is implemented in compliance with the specified requirements for alternative 1. (1,000 or more attendees) or alternative 2. (3,000 attendees).

Provide either training or educational materials to lawn/turf care service entities addressing best management practices they can employ to minimize or avoid adverse stormwater impacts due to their operations. Libmp P Ed & O - 11 Adopt a public education program to reduce littering. Libmp P Ed & O - 11 Libmp P Ed & O - 11 Adopt a public education program to reduce littering. Libmp P Ed & O - 11 Libmp P Ed & O - 11 Adopt a public education program to reduce littering. Libmp P Ed & O - 11 Libmp P Ed & O - 11 Adopt a public education program to reduce littering. Libmp P Ed & O - 11 Adopt a public education program to reduce littering has been a problem. Libmp P Ed & O - 11 Libmp P Ed & O - 11 Adopt a public education program to reduce littering has been a problem. Libmp P Ed & O - 11 Adopt a public education program to reduce littering has been a problem. Libmp P Ed & O - 11 Libmp P Ed & O - 11 Adopt a public education program to reduce littering has been a problem. Libmp P Ed & O - 11 Adopt a public education program to reduce littering has been a problem. Libmp P Ed & O - 11 Adopt a public education program to reduce littering has been a problem. Libmp P Ed & O - 11 Adopt a public education program to reduce littering has been a problem. Libmp P Ed & O - 11 Adopt a public education program to reduce littering has been a problem. Libmp P Ed & O - 11 Adopt a public education program to reduce littering has been a problem. Libmp P Ed & O - 11 Adopt a public education program to reduce laterials must occur within the year for which promote distribution of educational materials occur within the year for which promote an experience laterials must occur within the year for which promote distribution of educational materials occur within the year for which promote an experience laterials must occur within the year for which promote an experience laterials must occur within the year fo	information booth at multiple public events, (such as a sports event, fair, or music festival) where a cumulative estimated total of 3,000 or more individuals attend. 3. And finally, a single point can be claimed for operating an information both at a public event where at least an estimated 200 or more individuals attend.			Finally, 1 point may be claimed each year this BMP is implemented in compliance with the specified requirements for alternative 3(200 attendees).
Provide either training or educational materials to lawn/turf care service entities addressing best management practices they can employ to minimize or avoid adverse stormwater impacts due to their operations. Lbmp P Ed & O - 11				
or educational materials to lawn/turf care service entities addressing best management practices they can employ to minimize or avoid adverse stormwater impacts due to their operations. Libmp P Ed & O - 11 Adopt a public education program to reduce littering. Iltering. Iltering. Adopt a public education program to reduce littering. Bush be provided, within the year, to at least five lawn/turf care service entities or at least 20% of the lawn care service entities located in the municipality whichever is least. Install and/or maintain signs to discourage littering. Signs are to be located in areas where littering has been a problem. Credit can be claimed. Credit can be claimed. Credit can be claimed of training or distribution of educational materials must occur within the year for which points are claimed. Credit can be claimed for the year for which points are claimed. Credit can be claimed for the year for which points are claimed. Credit can be claimed for the year for which points are claimed. Credit can be claimed for the year for which points are claimed. Credit can be claimed for the year for which points are claimed. Credit can be claimed for the year for which points are claimed. I point may claimed for the year for which points are claimed. I point may claimed in which the year for which points are claimed. I point materials must occur within the year for which points are claimed. I point materials must occur within the year for which points are claimed. I point materials must occur within the year for which points are claimed. I point material occurs.	Lbmp P Ed & O - 10			
Adopt a public education program to reduce littering. Install and/or maintain signs to claimed for any discourage littering. Signs are to be located in areas where littering has been a problem. Install and/or credit can be claimed for any year in which signs are installed and in place for greater than six months or in cases where signs have where signs have years where	or educational materials to lawn/turf care service entities addressing best management practices they can employ to minimize or avoid adverse stormwater impacts due to their	educational materials must be provided, within the year, to at least five lawn/turf care service entities or at least 20% of the lawn care service entities located in the municipality	of training or distribution of educational materials must occur within the year for which	
year where the signs remain posted for the full year.	Adopt a public education program to reduce littering.	maintain signs to discourage littering. Signs are to be located in areas where littering has	claimed for any year in which signs are installed and in place for greater than six months or in cases where signs have previously been installed in any year where the signs remain posted	1 point may be claimed for the year when signs are posted for six months or more, or 1 point may be claimed in subsequent years where the signs remain posted throughout the year. 1 point may be

Create a stormwater information brochure to provide to the public at public meetings and/or hearings	Have multiple copies of the brochure available during at least 10 meetings or hearings open to the public during the year. Provide the brochures to the public at no charge.	The brochures shall address stormwater topics of concern.	year the brochures are made available to the public at meetings and/or hearings as required.
Lbmp P Ed & O - 13			
Operate an adopt a highway program to utilize public volunteers to clean road right-of-way. Lbmp P Ed & O - 14	The volunteers shall clean at least a two-mile segment of road either within the permit area or adjacent to the permit area. Alternately multiple spots (such as roadways, parks, and waterways) which are cleaned and equate to or exceed a two-mile road clean-up can qualify for a point.	The road right-of- way shall be cleaned at least once per year. Points may be claimed for any year in which cleaning has occurred.	1 point may be claimed in any year a two-mile road segment is cleaned or alternately multiple spots are cleaned which equate to or exceed a two-mile road clean-up.
Hold a media campaign addressing various pertinent stormwater public education topics.	Estimated media exposure during prime-time broadcasting for the duration of the campaign shall be 10 times the most recent U.S. Census Bureau decennial population value for the permit area. The date, time, and estimated media exposure for each spot broadcast shall be documented and kept on file along with the applicable U.S. Census population value.	The media campaign shall be run within the year for which points are claimed. A new media campaign shall be run for each year points are claimed.	2 points may be claimed in a year in which the media campaign meeting the minimum exposure rate is conducted.
Lbmp P Ed & O - 15			
Develop or participate in an ongoing social media program on pertinent stormwater public education topics.	Publish or share social media content on the permittee's social media accounts at least six times per year. Record post topic, the number of	The required number of social media posts must occur within the year for which the posts are claimed.	2 points can be claimed in a year which the required number of content is shared.

	<pre>impressions and engagement for each post. Include link to permittee's stormwater education website.</pre>		
Lbmp P Ed & 0 - 16			
Operate an information booth at a public event or hold a public event which is intended to improve public understanding of issues related to water quality. The event may be associated with any environmental related issue including but not limited to an environmental expo, earth day, world wetlands day, international day of action for rivers, world fish migration day, world biodiversity day, world oceans day, world cleanup day, world water monitoring day, world rivers day, and America recycles day.	At least an estimated 800 or more individuals must attend the event.	The booth must be staffed at least 50% of the time the event is open to the public.	2 points may be claimed each year this BMP is implemented in compliance with the specified requirements. Municipal staff from multiple permittees may staff the both and claim points, for their municipality, for this BMP if their staff meet the 50% of the time staffing requirement.
Lbmp P Ed & O - 17			
Operate an adopt a street program to utilize public volunteers to clean street right-of-way.	The volunteers shall clean at least a two-mile segment of street, either a single street or multiple streets, either within the permit area or adjacent to the permit area.	The street right- of-way shall be cleaned at least once per year. Points may be claimed for any year in which cleaning has occurred.	1 point may be claimed in any year at least two miles of street right-of-way is cleaned by volunteers.

b. Documentation of compliance with the goal and implementation time - schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Public Education and Outreach requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.

c. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

2. Public Involvement/Participation

The permittee shall continue to implement a public involvement and participation program to solicit public comments and recommendations regarding the BMPs and measurable goals utilized by the permittee to comply with the permit. The permittee shall comply with State and local public notice requirements when implementing a public involvement and participation program.

a. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 3 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 6 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings or public forums; a single public hearing or public forums can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Public Involvement/Participation program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule etc.	Points
Lbmp P I/P - 01			
Hold a public hearing or public forum to notify the public about stormwater program activities and to solicit public comments regarding stormwater issues.	Provide public notice of the hearing/forum, invite local news media, either newspaper, radio or TV, and document the hearing with attendance sign-in sheet and minutes of the hearing which include public comments and responses.	Retain copies of the notices to public, invitations to attend, attendance sign-in sheets, and minutes. Points may be claimed in year which hearing is held.	2 points may be claimed each year this BMP is implemented in compliance with the specified requirements.
Lbmp P I/P - 02		<u> Tagorina Paralita an Parting a mir Dan an air air bhairt airt a chuid in chuid ta càirean ann airte air an airte airte an airte ai</u>	3 points may
			be claimed each year this
Establish a citizens	Host the citizens	The citizens	BMP is
advisory committee.	advisory committee	advisory committee	implemented in
	meetings twice yearly	must hold at least	compliance
	and receive comments	two meetings in	with the
	and guidance from the	the year which	specified
	committee regarding the		requirements.

	SMP. Retain on file copies of the attendance list and minutes of the meetings.	points are claimed.	
Ibmp P I/P - 03			
Hold park or stream bank clean-up events for public volunteers to aid municipal staff in removing trash, debris, or pollutant sources from the selected clean-up area.	Clean an area which must be equal to or greater than one acre or alternately at least 200 yards of streambank. Alternately, for municipalities with less than 500 population clean an	At least one such clean-up activity must occur in the year for which points are claimed.	3 points may be claimed each year this BMP is implemented in compliance with
Lbmp P I/P - 04	area which must be equal to or greater than a quarter of an acre or alternately at least 100 feet of streambank.		specified requirements.
Train either citizen watch groups, homeowner associations (HOAs), or public service groups to recognize illicit discharge activities and communicate observations to appropriate municipal staff.	Provide training or distribute training materials to the group participants at least once annually.	At least one such training activity or distribution of training materials must be provided to the group in the year for which points are claimed.	2 points may be claimed each year this BMP is implemented in compliance with the specified requirements.
Lbmp P I/P - 05			
Provide at least two events for residents to engage in cleanup activities and improve water quality in the municipality.	Provide at least two events in streams, streamside parks, areas adjacent to public waterways, and/or other green infrastructure/water resources. These events can be any of the following: Environmental restoration events,	At least two events in compliance with the stated goals must be conducted within the year for which points are claimed.	3 points may be claimed each year this BMP is implemented in compliance with the specified requirements.

	stream cleanups, tree		
	plantings, or stream		
	monitoring.		
Establish a program to encourage residents to install stormwater treatment best management practices on their property.	Encouragement can include funding, grants, and other financial incentives, trainings and or giveaways. Stormwater treatment BMPs can include: rain barrels, rain gardens, native plantings, native trees, cisterns and vegetated swales. Record participation numbers annually.	One or more of the listed methods of encouragement must be implemented in the year for which points are claimed.	2 points may be claimed each year this BMP is implemented in compliance with the specified requirements, with the addition of 1 additional point (for a total of 3 points in the year) each year that participation increases 10% from the previous year.
Enact either an ordinance, a resolution, or other enforceable requirement that requires pet owners or their keepers to immediately and properly dispose of their pet's solid waste deposited at parks or rest areas owned by the permittee. Lbmp P I/P - 08	The ordinance or resolution or other enforceable measure shall be enacted, and signs posted informing the public of their obligation at the park. The installation of a pet waste bag dispenser in the public area qualifies as adequate signage.	In the year the Measurable Goal requirement is implemented the point may be claimed and for each year thereafter.	1 point may be claimed for the year in which the Measurable Goal requirements are enacted, and 1 points may be claimed for each subsequent year the Measurable Goal requirements remain in effect.
Provide a monetary donation to a scholarship fund for students pursuing a degree in an environmental program which would qualify them to work in a	A \$500 contribution in a year is the minimum acceptable amount to achieve this goal.	The donation must be made in the year the points are claimed.	2 points may be claimed each year this BMP goal is achieved.

field which can result in water pollution control.			
Distribute stormwater educational materials to the public within this permit area. Alternately, the permittee may provide stormwater educational materials, e.g. brochures, flyers, or pamphlets. These materials may address various stormwater topics. For this alternative these materials may be provided to other nearby municipalities for distribution to the public. The nearby municipalities must be within 30 miles from this permit area. Lbmp P I/P - 10	The educational materials, for each topic, which are distributed or supplied must have a value of at least \$50. Topics may be anything related to stormwater including but not limited to clean-up guidance following flooding, discouraging littering, explaining and discouraging illicit discharges to the storm sewers, guidance on constructed BMPs for home owners (rain gardens, rain barrels, etc.) guidance on area household hazardous waste receiving centers, and guidance on area recycling programs.	For educational materials distributed or provided to nearby municipalities each year points may be claimed when materials are provided with equal or greater value as required for each separate topic.	1 point may be claimed per topic addressed in compliance with the requirements, up to a total of 5 points/topics.
Establish a program to employ (either paid or unpaid) high school or college age environmental interns in an environmental related program including but not limited to either the wastewater utility, stormwater utility, potable water utility or solid waste utility.	The intern must receive the same environmental related training a new full-time employee would receive, within the first six months of the full-time employee's employment, during their internship.	The internship must last at least 8 weeks in the year when points are claimed.	2 points may be claimed each year this BMP goal is achieved per intern.

b. Documentation of compliance with the goal and implementation time - schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Public Involvement/Participation requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.

Kansas Permit No.: M-M005-SU01
Page 15 of 43

c. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

3. <u>Illicit Discharge Detection and Elimination</u>

The permittee shall:

- a. Continue to implement and enforce a program to detect and eliminate illicit discharges into the MS4.
- b. Maintain a storm sewer system map of the permittee's MS4, showing the location of all outfalls, either pipes or open channel drainage, showing the names and location of all streams or lakes receiving discharges from those outfalls. A copy of the map shall be submitted to KDHE with the annual report if requested by KDHE. This map may be submitted as a PDF file(s) on a compact disk (CD) or a digital versatile disk (DVD).
- c. Implement and enforce an ordinance, a resolution, or other enforceable requirement, if the permittee has the authority to do so, to prohibit non-stormwater discharges into the storm sewer system and implement appropriate enforcement procedures and actions. A copy of the ordinance or resolution shall be submitted to KDHE with the annual report if requested by KDHE.
- d. Inform public employees, businesses, and the general public of hazards associated with illegal discharges and improper disposal of waste.
- e. Develop and implement a plan to detect/inspect for and address prohibited non-stormwater discharges, including illegal dumping, to the storm sewer system. The plan must include efforts to identify and evaluate dry weather MS4 discharges to detect and eliminate any associated illicit discharge. Unless identified by either the permittee or KDHE as a significant source of pollutants to waters of the state, several types of non-stormwater flow are not normally prohibited from entering the Municipal Separate Storm Sewer System:

Discharges which are not necessarily prohibited include:

- I. Water line flushing
- II. Diverted stream flows
- III. Rising ground waters
 - IV. Uncontaminated groundwater infiltration as defined under 40 CFR 35.2005(20) to separate storm sewers
 - V. Uncontaminated pumped groundwater
- ${\tt VI.}$ Contaminated groundwater if authorized by {\tt KDHE} and approved by the municipality
- VII. Discharges from potable water sources
- VIII. Foundation drains
 - IX. Air conditioning condensation

Kansas Permit No.: M-M005-SU01
Page 16 of 43

- X. Irrigation waters
- XI. Springs
- XII. Water from crawl space pumps
- XIII. Footing drains
- XIV. Lawn watering
- XV. Individual residential car washing
- XVI. Occasional not-for-profit car wash activities
- XVII. Flows from riparian habitats and wetlands
- XVIII. Dechlorinated swimming pool discharges excluding filter backwash
 - XIX. Street wash water (excluding street sweepings which have been removed from the street)
 - XX. Discharges or flows from firefighting activities
 - XXI. Heat pump discharge waters (residential only)
- XXII. Treated wastewater meeting requirements of an NPDES permit
- XXIII. Sump pump drains
- XXIV. Other discharges determined not to be a significant source of pollutants to waters of the state, a public health hazard or a nuisance.
- f. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 5 points total on an annual basis for calendar years 2021 and 2022. The point total requirement increases to 7 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings or public forums; a single public hearing or public forums can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing an Illicit Discharge Detection and Elimination program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule	Points
Hold a public hearing or public forum to educate the public about illicit discharges and alternate acceptable methods of disposal or reuse of substances and/or materials.	Provide public notice of the hearing/forum, invite local news media (either newspaper, radio or TV), and document the hearing with attendance sign-in sheet and minutes of the hearing which include questions/comments from the attendees and answers/comments from the permittee staff.	Retain copies of the notices to public, invitations to attend, attendance sign-in sheets, and minutes. Hearing must be held in year for which points are claimed.	2 points may be claimed for any year a hearing/forum is held.
Implement a program to abandon failed or failing residential or commercial on-site wastewater treatment facilities. These on-site wastewater treatment systems such as septic tank - lateral systems or lagoon systems are then connected to the municipal wastewater collection system for treatment of wastewater at the municipal wastewater treatment plant. Alternately, upgrade or replace the failed system to restore performance.	Redirect the wastewater generated by the facility to the municipal wastewater treatment collection system for proper treatment and disposal. Alternately, upgrade or replace the failed system with improvements which meet or exceed the present code or local requirements.	For each failed or failing on-site system which is abandoned, and the wastewater is redirected to the municipal wastewater treatment system, the permittee may claim points in the year the system is initially connected into the municipal wastewater treatment system. Alternately, for systems which are upgraded or replaced to restore adequate performance a lower number of points may be claimed in the year the upgrade or replacement is completed.	3 points may be claimed for each abandoned system in the year it is abandoned, alternately for systems which are upgraded or replaced as per the requirements a total of 2 points may be claimed in the year upgrade or replacement is completed.
Lbmp I D D & E - 03 Develop a spill response plan and, if appropriate, coordinate emergency response with other	The plan shall include, at a minimum, explanation of appropriate spill response activities	The plan may be implemented in any year and points claimed for the initial	3 points may be claimed in the year initially implemented, and 2 points may be claimed

agencies or organizations.	for spills associated with vehicle	implementation or for each year the	for each successive
	accidents, at grade or above ground storage tanks, and vehicle fluids from mechanical equipment such as	plan remains effective.	year the plan remains effective.
	construction equipment, cars, or trucks. The written plan shall be		
	maintained on file.		
Lbmp I D D & E ~ 04 Implement a program to	When at least 5% of	The evaluation of a	1 point may be claimed in the year when
evaluate MS4 outfalls to identify illicit discharges. Inspect at least 5% of the known MS4 outfalls during a calendar year and evaluate the ones which have dry weather discharges. Evaluate the water quality of the dry weather discharges to recognize nonstormwater contributions and trace the source of any illicit discharge.	the known MS4 outfalls are inspected and for which at least one outfall was identified as discharging (entirely or partially) flow from an illicit discharge, the allotted points may be claimed in the year when the illicit discharge is eliminated. Document the MS4 outfalls inspected, the outfalls with dry weather discharges and the MS4 outfalls associated with illicit discharges.	group of at least 5% of the known MS4 outfalls may be completed all in one year or may occur in up to two consecutive years and a point can be claimed. The larger number of points may be claimed only for the year in which the illicit discharge(s), associated with this group of evaluated outfalls is/are eliminated.	a total of at least 5% of the known MS4 outfalls are finally inspected, and 2 additional points may be claimed in which the illicit discharge(s), associated with this group of evaluated outfalls is/are eliminated.
Lbmp I D D & E - 05			
Distribute a letter (or flier) and/or e- mail along with a press release from a municipal official with the intent of reaching every resident and business in the MS4 permit area. The distributed documents shall provide information on how to avoid illicit discharges to the MS4, i.e., proper disposal methods for common substances or materials often discharged illicitly. Provide a link to the municipal website	The letter (or flier) and/or e-mail along with the press release shall highlight the requirements for proper disposal of wastes and disposal methods. Copies of these documents shall be retained on file along with the distribution/mailing lists to document distribution to the target area (minimum MS4 permit area) to avoid illicit discharges to the MS4. Provide a link to the municipal website where applicable	The distribution of these various documents, letter (or flier) and/or e-mail along with the press release, shall all occur in the same month. Permittee may claim these points in the year these documents are distributed.	2 points

where applicable ordinances and	ordinances and		
	disposal guldance are		
disposal guidance are	posted.		
posted.			
Lbmp I D D & E - 06			-8-1-7-40 May 1-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7
Inspect, by televising	Generate a summary	The inspection	
pipelines or direct	report of the	process can occur	
visualization of open	inspection including	in a single	3 points may
channel drainage, 2%	the number of linear	calendar year or	be claimed
of the MS4 system	feet televised, number	may be conducted	for
within the permit area	of linear feet	over a period	inspection of
all conducted within a	visually inspected,	extending from one	2% of the MS4
12-month period to aid	condition comments,	year into the	system,
in identifying illicit	illicit discharges	succeeding year.	alternately
discharges as well as	identified and the	Points may be	if 10% of the
evaluate the condition	results of efforts to	claimed in the year	MS4 system is
of the storm sewer	eliminate illicit	when the televised	inspected 5
lines/drainage	discharges, e.g.,	and/or visual	points may be
channels-ditches. If	discharge line	inspection of this	claimed.
in a 12-month period	disconnected and	portion of the MS4	
10% of the MS4 system	redirected to the	system (either 2%	
is inspected a higher	sanitary sewer or	or 10%) is	
point value may be	discharge practice	completed.	
claimed.	terminated.		
Lbmp I D D & E - 07			
Implement a Household	Document the residents	The property owners	3 points may
Hazardous Waste	and property owners	or residents	be claimed
Collection Program (HHWCP) or document	within the MS4 permit area were able to	located within the permit area must be	for any year in which this
others have	dispose of such wastes	able to dispose of	BMP was
implemented such a	at the HHWCP during a	waste accepted by	implemented
program to provide	calendar year. Retain	the HHWCP	in compliance
such service to all	this documentation on	throughout a	with the
property owners or	file.	calendar year.	requirements.
residents located		Points may be	1.0901.011001
within the permit		claimed for any	
area.		such year.	
Lbmp I D D & E - 08			5 points may
			be claimed
			(for each
Implement a program to	A pump station shall	In the year all	pump station
increase the	be upgraded to include	improvements, as	upgraded in
reliability of	the following:	listed under	compliance
sanitary sewer pump	> A dedicated on-	measurable goals,	with this
stations above the	site standby	are installed and	BMP) in the
minimum standard	generator shall	ready for operation	first year
design requirements.	be installed	the points may be	the
	(with automatic	initially claimed	improvements,
	transfer	and in subsequent	as listed
	switch) for use	years these	under
	when main line	improvements remain	measurable
	power fails.	operational points	goals, are
	1	may be claimed.	installed and
	7 44 - 7		
	A dialer system, or		ready for operation,

	tolomotavy	
	telemetry	4 points may
	system, or connection to a	be claimed
		for (for each
	SCADA system shall be	pump station
		upgraded in
	installed to	compliance
	provide real	with this
	time or nearly	BMP) each
	real time	successive
	notification of	year the
	failures at the	improvements,
	pump station	as listed
	which can	under
	potentially	measurable
	lead to	goals, remain
	sanitary sewer	operational.
	overflow.	
	> The permittee	
	shall purchase	
	and maintain	
	for immediate	
	operation a	
	trailer mounted	
:	motor driven	
	sewage pump for	
	use when the	
	pump station	
	fails to	
	operate. The	
	motor driven	
	pump shall be	
	sized to pump	
	at a rate at	
	least equal to	
	the firm	
	pumping	
	capacity of any	
	sanitary sewer	
	= +	
	pump station	
	the permittee	
	claims points	
	for under this	
	BMP.	
	Mla - manage	
	The pump	
	station shall	
	be modified to	
	facilitate the	
	connection of	
	the trailer	
	mounted pump	
	discharge to	
	the force main	
	and convenient	
	installation of	
	the suction	
	line from the	
	trailer mounted	

	pump into the wet well.		
Lbmp I D D & E - 09			
Provide a contribution	The contributions may	The total value of	
to area recycle	be made to programs	donation (either	
programs or programs	which take tires,	in-kind work,	
(such as household	automotive fluids,	materials, supplies	
hazardous waste	batteries, or other	or cash) in a	
disposal facilities,	wastes for which there	minimum amount of	
e-cycle facilities,	is any documentation	\$500 must be made	
paper shred	such wastes have been	in the year points	
facilities,	discarded as addressed	are claimed.	
pharmaceutical	under the BMP summary.		
disposal facilities etc.) designed to	The contributions must total a minimum of	Alternatively, for municipalities with	
properly dispose of	\$500 in the year (\$100	less than 500	2 points may
types of waste or	in the year for	population the	be claimed
materials which have	alternative lower	total value of	each year
previously been	population	donation in a	this BMP goal
discarded to or	municipalities) which	minimum amount of	is achieved.
adjacent to either the	points are claimed.	\$100 must be made	
MS4, streams, or lakes	The contributions can	in the year points	
within or adjacent to the permittee's permit	be monetary or can be in the form of goods	are claimed.	
area. The area	and/or services with		
program must be within	an agreed specified		
30 miles from this	value. Contributions		
permit area.	may be made to area		
	household hazardous		
	waste programs,		
	private recycle/reuse		
	facilities or civic/volunteer		
	organizations		
	assisting in recycle.		
Lbmp I D D & E - 10			_
	Conomato a summer	The increation	3 points may be claimed
Inspect, 5% of the MS4	Generate a summary report of the	The inspection process can occur	for be claimed
system Stormwater	inspection including	in a single	inspection of
inlets and/or outfalls	the number of inlets	calendar year or	2% of the MS4
within the permit area	and/or outfalls	may be conducted	system in the
all conducted within a	visually inspected,	over a period	year the
12-month period to aid	condition comments,	extending from one	required
in identifying illicit	illicit discharges	year into the	percentage of
discharges. If in a	identified and the	succeeding year.	inlets and/or
12-month period 15% of	results of efforts to	Points may be	outfalls are
the MS4 system inlets and/or outfalls are	eliminate illicit	claimed in the year when the televised	finally
inspected a higher	discharges, e.g., discharge line	and/or visual	inspected, alternately
point value may be	disconnected and	inspection of this	if 15% of the
claimed in the year	redirected to the	portion of the MS4	MS4 system is
the required	sanitary sewer or	system (either 2%	inspected 5
percentage of	discharge practice	or 15%) is	points may be
inspections are	terminated.	completed.	claimed.
completed.			

- g. Documentation of compliance with the goal and implementation time schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Illicit Discharge Detection and Elimination requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.
- h. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

4. Construction Site Stormwater Runoff Control

The permittee shall continue to maintain a program to reduce pollutants in any stormwater runoff to the MS4 from construction activities that result in a land disturbance of greater than or equal to one acre. Reduction of pollutant discharge associated with stormwater from construction activity disturbing less than one acre must be included in the program if that construction activity is part of a larger common plan of development or sale that would disturb one acre or more. The program must include, at a minimum, all the following:

- a. Maintain and enforce an ordinance, a resolution, or other enforceable requirement, if the permittee has the authority to do so, to require erosion and sediment controls, as well as sanctions to ensure compliance, to the extent allowable under State and local law. A copy of the ordinance or resolution shall be submitted to KDHE with the annual report if requested by KDHE.
- b. Maintain requirements for construction site owners or operators to implement appropriate erosion and sediment control best management practices.
- c. Maintain requirements for construction site owners or operators to control waste such as discarded building materials, concrete truck washout, chemicals, litter, and sanitary waste at the construction site that are likely to cause adverse impacts to water quality.
- d. Maintain procedures for site plan review which incorporate consideration of potential water quality impacts.
- e. Maintain procedures for receipt and consideration of information submitted by the public.
- f. Maintain procedures for site inspection and enforcement of control measures.
- g. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 4 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 6 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings; a single public hearing can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Construction Site Stormwater Runoff Control program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule etc.	Points
Lbmp C S S R C - 01			
Implement a requirement for a Soil Erosion and Sediment Control(SESC) Plan for any land Disturbance sites which are either equal to or greater than 1 acre or for which there is construction activity disturbing less than one acre which is part of a larger common plan of development or sale that in total disturbs one acre or more. Lbmp C S S R C - 02	Enact a regulatory ordinance, or other enforceable measure that requires an SESC Plan for all developments disturbing sites which are either equal to or greater than 1 acre or for which there is construction activity disturbing less than one acre which is part of a larger common plan of development or sale that in total disturbs one acre or more.	Points may be claimed in the year the ordinance/enforceab le requirement first becomes effective, and for each full calendar year thereafter for which the ordinance/enforceab le requirement remains effective.	3 points may be claimed in the year the ordinance initially becomes effective, and 2 points may be claimed for each successive year thereafter for which the ordinance remains effective.
Develop and adopt a design manual for erosion and sediment control BMPs which are required to be used on sites which will be disturbed and are either equal to or greater than 1 acre or for which there is construction activity disturbing less than one acre which is part of a larger common plan of development or sale that in total disturbs one acre or more.	Require implementation of BMPs in compliance with the design manual on all sites which meet the disturbed area standard as specified in the BMP Summary.	Points may be claimed for the year which the manual is initially adopted and implemented, and a reduced number of points may be claimed for subsequent years in which the manual remains implemented.	3 points may be claimed in the year the manual is initially implemented, and 2 points may be claimed for each successive year the manual remains effective.
Lbmp C S S R C - 03 Provide access to at least one training class for contractors,	This training class must address all local requirements for a	Points may be claimed for the year in which the	3 points

developers or others involved with land disturbance projects which provides training on requirements for a Stormwater Pollution Prevention Plan (SWP2 Plan) and implementation of appropriate BMPs. Lbmp C S S R C - 04	SWP2 Plan, requirements for implementation of BMPs and address the requirements for permits.	training class is held.	
Develop a site plan review process which considers potential water quality impacts which may occur during construction as well as post construction impacts.	Review process must have written guidance for the reviewer. Issuance of a building permit or approval to start construction may not be provided until the site plan has successfully passed the review process either based on the initial site plan submittal or has been modified to comply with requirements identified during the review process. Measures must be included to enforce the installation of water quality BMPs included in the site plan.	Points may be claimed in the year the review process is initially developed and implemented. Also points may be claimed in each subsequent year the review process continues to be implemented.	3 points may be claimed in the year the review process is initially developed and implemented, 2 points may be claimed for each successive year the review process continues to be implemented.
Establish effective requirements for construction sites to control wastes. Develop through ordinance or other enforceable means requirements for construction site Operators or owners to control wastes. At a minimum control shall be imposed to prevent entry into the MS4 for the following wastes: > discarded building materials > concrete > Truck washout > chemicals, > litter, and	Enact ordinance or other effective means to achieve control of wastes at construction sites.	Points may be claimed in the year of enactment. Also points may be claimed in each subsequent year the method of effective control of construction site waste remains in effect.	3 points may be claimed in the year of enactment, 2 points may be claimed for each successive year the method of effective control of construction site waste remains in effect.

<pre>> sanitary waste</pre>			
Lbmp C S S R C - 06			
Develop written procedures for inspection of construction sites. Develop a Stormwater Construction Site Inspection Guide for use by municipal inspectors.	The procedures document must address the administrative aspects associated with required inspections of construction sites, the issuance of inspection reports, notices of violations, and enforcement actions. The Inspection Guide must provide inspectors guidance on how to conduct a construction site stormwater inspection, the required procedures, and guidance on acceptable conditions of various BMPs employed on such sites, enforcement actions and/or reference of cases for enforcement by other municipal staff, guidance on photo log of the inspection and inspection checklists for use by the inspector.	Development of the written procedures and the Inspection Guide can occur in any year. Initial implementation can allow points to be claimed in that year and continued implementation can allow points to be claimed in subsequent years.	3 points may be claimed in the year of initial development, 2 points may be claimed for each successive year the written procedures and inspection guide continue to be utilized.
Lomp C S S R C - 07 Acquire or develop a software tracking system to track inspections and related tasks.	The tracking system must allow for scheduling inspections and follow-up activities such as re- inspections, mailing notices or reports, etc.	A point can be claimed in the initial year the software tracking system is implemented and each year thereafter it is utilized.	I point may be claimed for any year the software is initially utilized, and I point may be claimed for each successive year the software is utilized.

Kansas Permit No.: M-MO05-SU01 Page 26 of 43

h. Documentation of compliance with the goal and implementation time - schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Construction Site Stormwater Runoff Control requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.

i. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

5. <u>Post-Construction Stormwater Management in New Development and Redevelopment Projects</u>

The permittee shall continue to maintain a program to address post-construction stormwater runoff from new development and redevelopment projects that disturb greater than or equal to one acre, including projects less than one acre that are part of a larger common plan of development or sale, that discharge into the MS4. The program must include, at a minimum, all the following:

- a. Maintain a requirement for BMPs to prevent or minimize adverse water quality impacts.
- b. Maintain strategies which include a combination of structural and/or non-structural BMPs appropriate for the municipality.
- c. Maintain and enforce an ordinance or resolution, if the permittee has the authority to do so, to address post-construction runoff from new development and redevelopment projects to the extent allowable under State and local law.
- d. Ensure adequate long-term operation and maintenance of structural BMPs.
- e. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 5 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 7 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings; a single public hearing can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Post-Construction Stormwater Management in New Development and Redevelopment Projects program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule etc.	Points
Lbmp P-C S M - 01			
Develop and adopt a	The custom design	Development of the	
custom design manual	manual shall impose	design manual can	
for Post-Construction	requirements to	occur in any year.	4 points may
Stormwater Management	achieve at least one	Initial	be claimed in
which specifies	of the following	implementation can	the year of
various structural	standards:	allow points to be	initial
BMPs which are		claimed in that	implementation
required for new	Capture, at	year and continued	of a custom
development and re-	least, the first	implementation can	design manual
development	0.5 inches of	allow points to be	- alternately
construction sites	precipitation on	claimed in	6 points may
which are greater than	the	subsequent years.	be claimed in
1 acre or for which	development/re-		the year of
there is construction	development site		initial
activity disturbing	and utilize		implementation
less than one acre	methods to		of the APWA
which is part of a	prevent		5600
larger common plan of	discharge off-		stormwater
development or sale	site, including		design
that in total disturbs	but not limited		criteria and
one acre or more.	to;		the MARC/APWA
	• retain on-		BMP Manual,
Alternately, adopt and	site		3 points may
implement the APWA	• infiltrate		be claimed for
5600 Stormwater Design	• evaporate		each
Criteria and the	• transpire		successive
MARC/APWA BMP Manual.	or		year
	• beneficial		compliance
	ly reuse		with the
			custom design
	> Through		manual is
	implementation		required/imple
	of appropriate		-mented
	BMP(s) reduce		Alternately 5
	the peak		points may be
	stormwater flow		claimed in
	rate to a value		each
	equal to or less		successive
	than the rate		year the
	which would be		implementation
	experienced on		of the APWA
	the site prior		5600
	to the		stormwater
	development/re-		design
	development		criteria and
	project based		the MARC/APWA
	upon modeling a		BMP Manual is
	standard storm		required/imple
	event, e.g. 1.0		-mented.
	inch - 6-hour		
	event assuming		
	saturated soil		
	conditions.		

Lbmp P-C S M - 02 Develop a list of post-construction structural or non-structural BMPs which are required to be incorporated in any development/redevelopment project. The list must include guidance regarding the BMPs which must be incorporated in various projects as determined appropriate by the permittee. The list is to be provided to entities involved with the design of projects prior to site plan review by the	> Other sizing or detention standards generally accepted by design engineers as adequate for the permittee's local. As an alternative to a custom design manual the APWA 5600 Stormwater Design Criteria and the MARC/APWA BMP Manual may be adopted and implemented. Measures must be included to enforce the installation of the various structural BMPs required. Development and implementation of the list and guidance is necessary to claim points in the first year. The list of required BMPs must be enforceable through ordinance or other means.	Development of the list and guidance can occur in any year. Initial implementation can allow points to be claimed in that year and continued implementation can allow points to be claimed in subsequent years.	3 points may be claimed in the year of initial implementation , 2 points may be claimed for each successive year the list is maintained and implemented.
projects prior to site			implemented. 3 points may
Develop and implement a program to ensure adequate	The program shall be detailed in a written document and made available to all	Development of the program can occur in any year. Initial	be claimed in the year of initial implementation

long-term cleaning,	pertinent maintenance	implementation can	2 points may
operation and	staff.	allow points to be	be claimed for
maintenance of all		claimed in that	each
municipally owned or		year and continued	successive
operated post-		implementation can	year the
construction		allow points to be	program is
structural stormwater		claimed in	maintained and
BMP facilities. The		subsequent years.	utilized.
program shall address			
several different			
types of these BMP systems. The systems,			
which are addressed,			
shall include any type			
of post-construction			
structural BMP system,			
contained in the MS4.			
These shall include,			
if so present, at a			
minimum the following:			
➤ detention ponds			
> retention ponds			
<pre> grass swales</pre>			
pervious paving			
systems			
➤ wetlands			
<pre>▶ vegetative</pre>			
filter strips			
> manufactured			
stormwater			
treatment			
devices (swirl			
separators, screens, etc.)			
> drop inlet-catch			
basin			

Lbmp P-C S M - 04	I never and the states of a factor of the fa		
_			
Develop a master plan	Runoff problems can be	After <u>all</u> aspects	
or comprehensive	addressed efficiently	are implemented	5 points may
development plan which	with sound planning	including final	be claimed in
establishes zoning and	procedures. This	implementation of	the year all
development standards with establishment of	master or	the master or	aspects are
both structural and	comprehensive	comprehensive	initially
non-structural BMPs	development plan must include, if not	development plan,	implemented,
intended to avoid or	already implemented, a	along with enactment of the	2 points may
minimize adverse water	zoning ordinance, a	required	be claimed for
quality impacts post-	stream buffer	ordinances points	each
construction.	ordinance, site plan	for implementation	successive
	development	of this BMP can	year all aspects
	requirements which	initially be	continue to be
	include minimizing the	claimed.	implemented.
	increase of impervious		impromonted.
	surfaces and		
	maximization/preservat		
I.	ion of open space.	I	

	The plan must also impose requirements for new development or re-development projects to utilize stormwater retention or detention BMPs and vegetative BMPs (such as grassy swales, filter strips, artificial wetlands, and rain gardens).		
Lbmp P-C S M - 05			
Develop and implement a program for inspection of permittee owned structural BMPs which includes	The program shall require inspection of at least 10% of the structural BMPs on an annual basis.	The program shall be developed and implemented within a single year.	
implementation of needed maintenance to ensure long-term operation of the BMPs	Identified maintenance activities shall be completed: 1. in the same year of inspection or 2. completed as dictated by the permittee's maintenance/O&M plan 3. or a written plan for completion of the necessary maintenance shall be completed in the same year of inspection with the objective for completion of the maintenance activity within 18 months.		3 points may be claimed in the year the program is initially developed and implemented, 2 points may be claimed for each successive year the program continues to be implemented.
Lbmp P-C S M - 06		And where the real particles are a second distance of the second dis	3 points may
Develop and implement a program for inspection of known privately owned structural BMPs which includes providing the owner of the BMPs an inspection report which specifies needed	The program shall require inspection of at least 10% of the known privately owned structural BMPs on an annual basis. Identified maintenance activities shall be	The program shall be developed and implemented within a single year.	be claimed in the year the program is initially developed and implemented, 2 points may be claimed for each successive year the

maintenance to ensure	completed in the same		nrogram
long-term operation of the BMPs.	year of inspection or a written plan for		program continues to be
	completion of the necessary maintenance shall be completed in the same year of inspection with the objective for completion of the maintenance activity within 18 months.		implemented.
Lbmp P-C S M - 07			3 points may
Enact either an ordinance, a resolution, or other enforceable requirement which requires the installation of pervious surfaces on property. Lbmp P-C S M - 08	The ordinance or resolution or other enforceable requirement must specify when installation of impervious surfaces is not acceptable and what allowable pervious surfaces can be installed in lieu of impervious surfaces.	The year the ordinance or resolution or other enforceable requirement is implemented points may be claimed and continued implementation can allow points to be claimed in subsequent years.	be claimed in the year of initial implementation . 2 points may be claimed for each successive year the ordinance or resolution or other enforceable requirement is implemented.
Implement a program to encourage residential owners to install stormwater BMPs, including but not limited to, native trees, native flower gardens, rain gardens, rain barrels, pervious surfaces, and vegetated swales.	A program which results in installation of such BMPs on 1% of the residential parcels in a year will allow two points to be claimed for that year. In a year when installation of such BMPs on 5% of the residential parcels occurs, a larger number of points may be claimed.	The number of residential parcels improved to qualify for points must occur in a single calendar year.	2 points may be claimed in a year BMPs are installed on 1% of the residential parcels, 4 points may be claimed in a year BMPs are installed on 5% of the residential parcels.

f. Documentation of compliance with the goal and implementation time - schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Post-Construction Stormwater management in New Development and Redevelopment Projects requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.

Kansas Permit No.: M-M005-SU01 Page 32 of 43

g. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

6. Pollution Prevention/Good Housekeeping for Municipal Operations

The permittee shall continue to implement an operation and maintenance program that includes employee training to prevent and reduce stormwater pollution from municipal operations activities such as park and open space maintenance, fleet and building maintenance, new construction and land disturbances, and stormwater system maintenance.

a. The implementation of BMPs for this minimum control measure must result in accumulation of a minimum of 4 points total on an annual basis for each calendar year 2021 and 2022. The point total requirement increases to 6 points for each calendar year beginning in 2023. The following table lists various BMPs, measurable goals, and the required timing-period or implementation-schedule to qualify for the points in the year.

In cases where the permittee is already implementing a BMP which qualifies for points, they may continue implementation of the BMP and earn the listed points as allowed for the first year of implementation under this permit as well as subsequent years.

Multiple BMPs involve holding public hearings; a single public hearing can be held which addresses multiple topics and points claimed for all of the multiple BMPs implemented.

In addition to implementing a Pollution Prevention/Good Housekeeping for Municipal Operations program as required above, the permittee must implement sufficient listed BMPs in the table below to qualify for the required number of points.

BMP Summary	Measurable Goal	Implementation Time Schedule etc.	Points
Lbmp P P/G H - 01			3 points may be claimed in
Install a screening device or method at a single municipal storm sewer outfall or on the storm sewer line immediately upstream of the outfall to reduce the discharge of floatables or other objects to receiving waters.	The screening device or method is required to remove objects that exceed at least 1½ inches in size. The device or method must be capable of continuous operation during stormwater discharges.	Volume or weight of the material shall be documented for either each discharge event or on a quarterly basis.	the year the screening device or method is initially implemented, 2 points may be claimed for each successive year the
	An emergency bypass or overflow line can be included to avoid surcharging/flooding in the event the screening device or method fails to		screening device or method continues to be implemented.

			77.18.18.18.19.19.19.18.18.18.18.18.18.18.18.18.18.18.18.18.
	operate properly at		
	any time.		
	A log of the material		
	captured and prevented		
	from discharge to the		
	receiving water shall		
	be maintained.		
Lbmp P P/G H - 02			3 points may
			be claimed in
			the year
Implement a recycle	A log of the materials	Recycle containers	recycle
and proper waste	directed to recycle	shall be available	containers are
disposal program for	shall be maintained.	for staff use all	made available
municipal staff to	Entries in the log	days of the year in	for municipal
reduce potential for	shall record either	which points are	staff use and
litter, to recycle	weight or volume of	claimed.	the recycle
waste oil, batteries,	recycle materials		program is
glass containers,	removed from the		initially
plastic containers,	containers and		implemented,
and paper products.	transported to the		2 points may
	recycle facility as		be claimed for
	well as the date of		each
	transport.		successive
	-		year the
			recycle
			program
			continues to
			be
			implemented.
Lbmp P P/G H - 03			2 points may
			be claimed in
			the year the
Develop a guidance	Require staff which	The quidance	guidance
document for municipal	apply pesticides to	document must be	document is
staff or third-party	use such pesticides in	finalized and	finalized and
contractors which	compliance with the	implemented in the	implemented,
apply pesticides. The	guidance document.	year which points	1 point may be
guidance shall require		are initially	claimed for
any municipal staff,	must require use of	claimed.	each
who apply restricted	pesticides in		successive
use pesticides, to	compliance with the		year the
have a commercial	label instructions.		guidance
applicator			document
certification from the			continues to
Kansas Department of			be
Agriculture if			implemented.
required by that			
Department.			
Lbmp P P/G H - 04		edak ari yang 1900 berunyaka asasy muhimbagan ya kadi pangahin (lang HEBASES) Barail.	2 points may
			be claimed in
			I NO OTRITHER TH
			the year the
Implement a program.	Maintain proper wash	The guidance	the year the
Implement a program, with guidance to	Maintain proper wash	The guidance	guidance
with guidance to	facilities for	document must be	guidance document is
with guidance to municipal staff or	facilities for municipal staff to	document must be finalized and	guidance document is finalized and
with guidance to municipal staff or third-party	facilities for municipal staff to wash vehicles and/or	document must be finalized and implemented in the	guidance document is finalized and implemented,
with guidance to municipal staff or third-party contractors, to ensure	facilities for municipal staff to wash vehicles and/or equipment or implement	document must be finalized and implemented in the year which points	guidance document is finalized and implemented, 1 point may be
with guidance to municipal staff or third-party contractors, to ensure any municipal vehicle	facilities for municipal staff to wash vehicles and/or equipment or implement a program which	document must be finalized and implemented in the year which points are initially	guidance document is finalized and implemented, 1 point may be claimed for
with guidance to municipal staff or third-party contractors, to ensure	facilities for municipal staff to wash vehicles and/or equipment or implement	document must be finalized and implemented in the year which points	guidance document is finalized and implemented, 1 point may be

conducted in a manner which ensures the wash water is disposed of in the sanitary sewer or otherwise receives proper treatment prior to discharge to the environment.	take vehicles and/or equipment to commercial wash facilities, either of which ensures the wash water is conveyed to the sanitary sewer, or otherwise receives proper treatment prior to discharge to the environment, and not discharged untreated to the MS4 or directly to the environment.		year the guidance document continues to be implemented.
Lbmp P P/G H - 05			
Implement a program for street sweeping in which the street sweepings are collected and disposed of properly or recycled/reused if possible.	All paved streets which can be swept shall be listed in the schedule for street sweeping. A log shall be maintained listing the street segments which are swept and, dates of sweeping and where the street sweepings are disposed or where the material was sent to be recycled and/or reused. Alternatively, for municipalities with less than 500 population street sweeping can be limited to sweeping the gutters. The log which must be maintained need only indicate the street segments which were swept in the year and confirm the sweepings were properly disposed or recycled and/or reused	At least 10% of the streets which are listed in the street sweeping schedule must be swept at least once in a year to claim points for the year. In years when street sweeping equipment is purchased for use by the permittee additional points may be claimed. Alternately, for municipalities with less than 500 population at least 5% of the street gutters which can be swept must be swept in a year to claim points for the year.	3 points may be claimed in the year at least 10% of the listed streets are swept and street sweeping equipment is purchased, 2 points may be claimed for each year at least 10% of the listed streets are swept or alternately for municipalities with less than 500 population if at least 5% of the street gutters which can be swept are swept in a year 2 points may be claimed.
Lbmp P P/G H - 06			In years when
Develop an employee training program to ensure permittee's staff understand what actions they can take in the workplace to	Provide guidance documents in the form of fact sheets, flyers or e-mails to staff to coach them in appropriate actions they can take while	For each year in which staff receive guidance documents on two separate dates points may be claimed for the year.	guidance documents or training (in- person or video) are provided on two separate dates 1 point

minimize stormwater pollution. Alternately, provide in-person training or videos with sign-in-sheets for signature documentation of personal or video training. Retain copies of the guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Lbmp P P/G H - 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Alternately, provide in-person training or video training or video training or video training or video training. Retain copies of the guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Lbmp P P/G H - 07 Implement a program to inspect at least 5% of all inlets annually. at least 5% of all istormwater in least one point may be claimed. Alternately, provide in-person training or video trainin
Alternately, provide in-person training or videos with sign-in-sheets for signature documentation of personal or video training. Retain copies of the guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Lbmp P P/G H = 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which Alternately, provide in-in-person training or videos with sign-in-sheets. For each year in which staff inspect at least 5% of all stormwater inlets and additional point may be claimed. For any inlets which
in-person training or videos with sign-in-sheets for signature documentation of personal or video training. Retain copies of the guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Lbmp P P/G H - 07 Implement a program to inspect stormwater all inlets annually. Inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which in-person training or video training to side the guidance and for training to staff a minimum of twice per year. Implement a program to inspect at least 5% of all stormwater inlets at least 5% of all stormwater inspected in a year an additional point may be claimed. For any inlets which
in-person training or videos with sign-in-sheets for signature documentation of personal or video training. Retain copies of the guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Lbmp P P/G H - 07 Implement a program to inspect stormwater all inlets annually. inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which in person training or video training to side of the guidance documents and/or training. For each year in which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inspected in a year an additional point may be claimed. For any inlets which
in-person training or videos with sign-in-sheets for signature documentation of personal or video training. Retain copies of the guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Lbmp P P/G H - 07 Implement a program to inspect stormwater all inlets annually. inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which in person training or video training to side of the guidance documents and/or training. For each year in which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inspected in a year an additional point may be claimed. For any inlets which
videos with sign-in- sheets for signature documentation of personal or video training. Retain copies of the guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Tinspect at least 5% of all inlets annually. Additionally, if 10% of all inlets are additional point may be claimed. For any inlets which For any inlets which For any inlets which
sheets for signature documentation of personal or video training. Retain copies of the guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Lbmp P P/G H - 07 Implement a program to inspect stormwater all inlets annually. inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which Sheets for signature documents and reideo training to yideo the guidance and/or training to staff should be maintained. For each year in which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets at least 5% of all stormwater inlets at least one point may be claimed. For any inlets which
documentation of personal or video training. Retain copies of the guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Lbmp P P/G H - 07 Implement a program to inspect stormwater all inlets annually. inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which For any inlets which For each year in which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets and remove accumulated debris 1 poin may be
documentation of personal or video training. Retain copies of the guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Lbmp P P/G H - 07 Implement a program to inspect stormwater all inlets annually. inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which For any inlets which For each year in which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets and remove accumulated debris 1 poin may be
personal or video training. Retain copies of the guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Lbmp P P/G H - 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which
training. Retain copies of the guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Lbmp P P/G H - 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. Training to staff a minimum of twice per year. For each year in which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets at least 5% of all stormwater inlets at least one point may be claimed. For any inlets which Trovide appropriate guidance was distributed, or training to staff a minimum of twice per year. Implement a program to inspect at least 5% of all stormwater inlets and inlets and inlets and remove accumulated debris 1 poin may be
Retain copies of the guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Libmp P P/G H - 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. Retain copies of the guidance documents. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. For each year in which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets at least 5% of all stormwater inlets and all stormwate inlets and inlets and remove accumulated debris 1 poin may be
guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Libmp P P/G H - 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. To remove accumulated debris 1 point may be claimed.
guidance documents and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Ibmp P P/G H - 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are least 5% of all stormwater inspected in a year an additional point may be claimed. For any inlets which
and/or sign-in-sheets. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. The provide appropriate guidance and/or training to staff a minimum of twice per year. For each year in which staff inspect at least 5% of all staff inspect at least 5% of all stormwater inlets at least 5% of all inlets are inspected in a year an additional point may be claimed. For any inlets which To provide appropriate guidance and/or training to staff a minimum of twice per year. For each year in which staff inspect at least 5% of all stormwater inlets at least 5% of all inlets and remove accumulated debris 1 poin may be
A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Ibmp P P/G H - 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additional point may be claimed. A log of when the guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. For each year in which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets at least one point may be claimed. For any inlets which
guidance was distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Ibmp P P/G H - 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Implement a program to inspect at least 5% of all inlets annually. Which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets at least one point may be claimed. In years when staff inspect at least 5% of all stormwater inlets at least one point may be claimed. In years when at least 5% of all stormwater inlets at least one point may be claimed. For any inlets which
distributed, or training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Timplement a program to inspect at least 5% of all inlets annually. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. Additional point may be claimed. Distributed, or training was provided to staff should be maintained. For each year in which staff inspect at least 5% of all stormwater inlets and remove accumulated debris 1 point may be
training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Libmp P P/G H - 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which To reach year in which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets at least one point may be claimed. The provide appropriate guidance and/or training to staff a minimum of twice per year. For each year in which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets and remove accumulated debris 1 poin may be
training was provided to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Libmp P P/G H - 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which To reach year in which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets at least one point may be claimed. The provide appropriate guidance and/or training to staff a minimum of twice per year. For each year in which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets and remove accumulated debris 1 poin may be
to staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Ibmp P P/G H - 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. To staff should be maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. In years when staff inspect at least 5% of all stormwater inlets at least one point may be claimed. In years when staff inspect at least 5% of all stormwater inlets at least one point may be claimed. For any inlets which
maintained. Provide appropriate guidance and/or training to staff a minimum of twice per year. Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Inspect at least 5% of all inlets annually. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. To each year in which staff inspect at least 5% of all staff inspect at least 5% of all stormwater inlets at least one point may be claimed. In years when staff inspect at least 5% of all stormwater inlets at least one point may be claimed. For any inlets which
Provide appropriate guidance and/or training to staff a minimum of twice per year. Lbmp P P/G H - 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are accumulated debris. In years when staff inspect at least 5% of all staff inspect at least 5% of all stormwater inlets at least 5% of all inlets are least one point may be claimed. In years when staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets and inlets and remove accumulated debris 1 poin may be
guidance and/or training to staff a minimum of twice per year. Lbmp P P/G H - 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which Inspect at least 5% of all which staff inspect at least 5% of all stormwater inlets and remove accumulated debris 1 poin may be
guidance and/or training to staff a minimum of twice per year. Lbmp P P/G H - 07 Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which Inspect at least 5% of all which staff inspect at least 5% of all stormwater inlets and remove accumulated debris 1 poin may be
training to staff a minimum of twice per year. Lbmp P P/G H - 07 Implement a program to inspect at least 5% of inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% stormwater inlets at least 5% of all stormwater inlets at least 5% of all stormwater inlets at least one point may be claimed. In years when staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets and remove accumulated debris 1 poin may be
Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Implement a program to inspect at least 5% of all inlets annually. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which Tor each year in which staff inspect at least 5% of all stormwater inlets and additional point may be claimed.
Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are accumulated debris. Additional point may be claimed. For any inlets which In years where staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets and accumulated debris 1 poin may be
Implement a program to inspect at least 5% of inspect stormwater all inlets annually. Implement a program to inspect at least 5% of all inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% stormwater inlets at least 5% of all stormwater inlets at least 5% of all inlets are accumulated inspected in a year an additional point may be claimed. For any inlets which In years where staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets and inlets and remove accumulated debris 1 points and the control of t
Implement a program to inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Inspect at least 5% of all inlets annually. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which For each year in which staff inspect at least 5% of all stormwater inlets at least one point may be claimed. In years when staff inspect at least 5% of all stormwater inlets at least one point may be claimed. For any inlets which For each year in which staff inspect at least 5% of all stormwater inlets at least one point may be claimed. For any inlets which
inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets at least one point may be claimed. In years where at least 5% of all stormwater inlets at least one point may be claimed. For any inlets which may be
inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets at least one point may be claimed. In years where at least 5% of all stormwater inlets at least one point may be claimed. For any inlets which may be
inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets at least one point may be claimed. In years where at least 5% of all stormwater inlets at least one point may be claimed. For any inlets which may be
inspect stormwater inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% of all inlets are inspected in a year an additional point may be claimed. For any inlets which which staff inspect at least 5% of all stormwater inlets at least 5% of all stormwater inlets at least one point may be claimed. In years where at least 5% of all stormwater inlets at least one point may be claimed. For any inlets which may be
inlets to identify illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% stormwater inlets at least 5% of all stormwater inlets
illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% stormwater inlets at least 5% of all inlets are inspected in a year an additional point may be claimed. For any inlets which stormwater inlets at least 5% of all inlets and inlets and remove accumulated debris 1 points which may be
illicit discharges and clean drop inlets of accumulated debris. Additionally, if 10% least one point may inspected in a year an additional point may be claimed. For any inlets which stormwater inlets at least 5% of all inlets are least one point may be claimed. It is tormwater inlets at least 5% of all stormwater inlets at least 5% of all inlets and inlets and remove accumulated debris 1 point may be
clean drop inlets of accumulated debris. of all inlets are inspected in a year an additional point may be claimed. For any inlets which least one point may be claimed. all stormwate inlets and remove accumulated debris 1 poin may be
accumulated debris. inspected in a year an additional point may be claimed. be claimed. remove accumulated debris 1 poin may be
additional point may remove accumulated debris 1 poin may be
be claimed. accumulated debris 1 poin may be
For any inlets which debris 1 poin may be
For any inlets which may be
For any inlets which may be
dumped paint, oil or In years when
other substances which staff inspect
are considered illicit at least 10%
discharges follow up of all
educate individuals inlets and
near the impacted remove
inlet about illicit accumulated
discharges. debris 2
For inlote which have
For inlets which have claimed.
any accumulation of
debris, remove the
debris for proper
disposal.
The first of the f
o poznes may
be claimed in
the first
i circ ilist
Develop implement and Man shall serve the
Develop, implement and Map shall cover the For each year in year,
Develop, implement and Map shall cover the keep updated an online entire MS4 within the which the map is 2 points may
Develop, implement and Map shall cover the For each year in year,

accessible to the public.	lines both pipe and open drainage (i.e. ditches) and shall also illustrate all impaired waterways (i.e. 303(d) listed and TMDL listed streams/rivers) with an indication of the listed impairment.	the first year the map is posted it must be posted for at least six months for points to be claimed.	thereafter for which the map remains posted.
Identify permittee owned facilities, open space and buildings that can be retrofitted for stormwater BMPs.	Retrofit projects can include: green infrastructure, catchment improvements, Pollutant of Concern targeted BMPs, and native plant restoration projects.	The site(s) must be retrofitted with stormwater BMPs as listed in the measurable goals. Points can be awarded in the first year the BMPs are installed and begin operation and points may be claimed for each year the retrofitted BMPs continue to be operated.	1 point may be claimed in the first year for each site retrofitted (up to two sites/points maximum, 2 points may be claimed for each year at least two sites continue to operate all of the retrofitted BMPs which were installed.
Install and operate a constructed wetland at a municipal facility such as at a parking lot, shop, maintenance facility, rest area or any other industrial/commercial type facility, e.g. recycling facility, transfer station, kennel, or airport.	The wetland shall include a water surface area of at least 1/4 acre or equivalent submerged surface area for submerged wetlands.	Points may be claimed in the year the wetland is constructed and in subsequent years the wetland remains in operation.	2 points may be claimed for the year in which the wetland is constructed, 1 point may be claimed for each subsequent year the wetland remains in operation.
Ibmp P P/G H - 11 Install a canopy or other covered area for load-out of salt or other de-icing chemicals where such de-icing materials are stored either within the permit area or a storage facility located within 30 miles of this permit area.	The canopy or covered area shall be large enough to allow normal load-out and cleanup of spilled de-icing materials, without mixing with precipitation and resulting in contaminated runoff from the site, during and immediately	Points may be claimed in the initial year of construction and in subsequent years the canopy/covered area remains in operation.	3 points may be claimed for the year in which the canopy/covered area is constructed, 2 points may be claimed for each subsequent year the canopy/covered area remains in operation.

The canopy or other covered area for load-out of salt or other de-icing materials may be installed at a facility owned by the permittee or at a facility owned by an	following load out operations		
entity the permittee contracts with as long as the facility is located within 30 miles of this permit area. Lbmp P P/G H - 12			
Install a stormwater treatment system for capture of either trash, sediment, or debris. Systems may include any proprietary stormwater treatment system including CDS, Hancor, Enviro 21, etc. or similar custom designed systems. A system can be installed at a single municipal storm sewer outfall or on the storm sewer line immediately upstream of the outfall to reduce the discharge of floatables or other objects to receiving waters. Alternately, a system may be installed on a stormwater line to provide treatment at problem locations.	The treatment system or method must be capable of continuous operation during stormwater discharges. An emergency bypass or overflow line can be included to avoid surcharging/flooding in the event the system is overloaded or fails to operate properly at any time. A log of the material (noting either volume or weight) captured and prevented from discharge to the receiving water shall be maintained.	Volume or weight of the material shall be documented for either each discharge event, on a quarterly basis or at least annually.	3 points may be claimed in the year the treatment system is initially implemented, 2 points may be claimed for each successive year the treatment system continues to be implemented.

- b. Documentation of compliance with the goal and implementation time schedule must be maintained on file to claim the associated points. Permittee is responsible for implementing adequate BMPs to comply with the Pollution Prevention/Good Housekeeping for Municipal Operations requirements of this permit and be able to claim at least the required number of points in the calendar years as specified above. Extent of compliance, i.e., equal or exceed the required annual point total or failure to reach the required annual point total, must be reported in the Annual Report.
- c. The permittee is not limited to implementation of the BMPs listed in the above table. Several other BMPs may be implemented, however, only

Kansas Permit No.: M-MO05-SU01
Page 38 of 43

implementation of the BMPs listed in the table may be documented and counted toward the required annual point total.

Guidance useful in implementing the six minimum control measures can be obtained from the Online Water Library (OWL) of the Center for Watershed Protection. A list of url links to helpful guidance documents, including OWL, can be found on the KDHE Municipal Stormwater Program website at the following url:

http://www.kdheks.gov/muni/download/MS4 NPDES Permit helpful guidance.pdf

Document titled "MS4 NPDES Permit Helpful Guidance and/or Resources"

D. Total Maximum Daily Load (TMDL) Regulated Pollutants

This PART I - Section D requirement is not applicable to this permit. No action is required at this time for Total Maximum Daily Load (TMDL) Regulated Pollutants as there are no identified TMDL impacted streams within or adjacent to the municipality which justify implementing actions under this section.

PART II. TOTAL MAXIMUM DAILY LOAD (TMDL) BEST MANAGEMENT PRACTICES AND SURFACE WATER MONITORING

This Part II requirement is not applicable to this permit. No action is required at this time for Total Maximum Daily Load (TMDL) Best Management Practices and Surface Water Monitoring as there are no identified TMDLs impacting streams within or adjacent to the municipality.

PART III. MONITORING INDUSTRIAL STORMWATER DISCHARGES:

This PART III requirement is not applicable to Phase II permittees. No action is required at this time for Monitoring Industrial Stormwater Discharges.

PART IV. PERMIT COMPLIANCE ACTIVITIES AND SCHEDULES

A. Year 2019:

The required update to the stormwater management program (SMP) document, as required in PART I B. Updated Stormwater Management Program document, should be considered in 2019 and planning initiated for allocating time and effort to complete this task to update the SMP document prior to the submission deadline in 2021.

The Annual Report for calendar year 2018 must be submitted to KDHE between January 1 and February 28, 2019.

B. Year 2020:

Any remaining tasks necessary to complete the update of the SMP should be completed in 2020.

The Annual Report for calendar year 2019 must be submitted to KDHE between January 1 and February 28, 2020.

C. Year 2021:

The updated SMP document must be submitted to KDHE with the 2020 Annual Report between January 1 and February 28, 2021.

The permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year beginning in 2021.

The Annual Report for calendar year 2020 must be submitted to KDHE between January 1 and February 28, 2021.

D. Year 2022:

The permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year.

The Annual Report for calendar year 2021 must be submitted to KDHE between January 1 and February 28, 2022.

E. Year 2023

The permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year. The point total requirements increase this year.

By February 28, 2023, provide a report (in PDF format) on effectiveness of source controls and structural BMPs to attenuate pollutant discharge and achieve the measurable goals. This report must be submitted to KDHE along with the Annual Report for 2022.

The Annual Report for calendar year 2022 must be submitted to KDHE between January 1 and February 28, 2023.

F. Year 2024

The permittee must implement sufficient listed BMPs to achieve minimum point requirements for each year.

The Annual Report for calendar year 2023 must be submitted to KDHE between January 1 and February 28, 2024.

PART V. REPORTING

The permittee shall submit a calendar year annual report to KDHE by February 28 of each year. The annual report shall be submitted to KDHE in the form specified by KDHE. Normally an annual report template (Basic Report) is posted on the KDHE website in the last three months of each year. The report template can be downloaded and completed. The completed annual report along with attachments or other documents which need to be submitted in association with the annual report shall all be submitted in PDF file formats to KDHE on a standard compact disk (CD) or digital versatile disk (DVD). The initial report under this permit is due February 28, 2020 for calendar year 2019. Once KDHE has implemented the KEIMS web-based system, all documents submitted will be required to be uploaded through the KEIMS program. KDHE will provide notification to the permittee when reporting via the KEIMS system is required. The annual report shall cover the activities during the previous calendar year and must include:

A. Provide the status of compliance with permit conditions, an assessment of the appropriateness of the implemented Best Management Practices, progress towards achieving the statutory goal of reducing the discharge of pollutants to the maximum

Kansas Permit No.: M-M005-SU01 Page 40 of 43

extent practicable, and the measurable goals (with an indication of the progress toward meeting the goals) for each of the six minimum control measures.

- B. Provide results of information collected and analyzed, (for example test results, surveys, or public comments/input) during the annual reporting period. This may include monitoring data used to assess the success of best management practices with respect to reduction in pollutant discharge. Include an interpretation of the information which addresses success or failure of the portion of the program for which the information applies.
- C. Provide a summary of the stormwater activities that were scheduled to be undertaken during the previous calendar year and the status of these activities.
- D. Provide a summary of the stormwater activities which are scheduled to be undertaken during the next calendar year (including an implementation schedule).
- E. Provide a map showing changes in the permittee's Permit Area if the Permit Area has changed within the year.
- F. Provide a description of significant changes in any of the BMPs.
- G. Provide copies of any ordinances or resolutions which were updated in the last year and are associated with the SMP.
- H. Provide a list of other parties (such as other municipalities or consultants), which are responsible for implementing any of the program areas of the Stormwater Management Program.

STANDARD CONDITIONS FOR KANSAS WATER POLLUTION CONTROL AND NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM MS4 PERMITS

- 1. Representative Sampling and Monitoring Report Submittals:
 - A. Samples and measurements taken as required herein shall be representative of the quality of the monitored water. Test results shall be recorded for the day the samples were taken. All samples shall normally be taken at the locations designated by the permittee in the Stormwater Management Plan according to the requirements of this permit. In the event samples must be obtained from a location different than that designated in the Stormwater Management Plan the annual report shall indicate the change of location and provide the justification therefore.
 - B. Monitoring results shall be recorded and reported on forms acceptable to the Division and provided in the annual report. Signed and certified copies of the annual report prepared in accordance with KAR 28-16-59, and all other reports required herein, shall be sent by U.S. mail to:

Kansas Department of Health & Environment Bureau of Water-Municipal Programs Section 1000 SW Jackson Street, Suite 420 Topeka, KS 66612-1367

2. Definitions:

- A. A "grab sample" is an individual sample collected in less than 15 minutes. A "composite sample" is a combination of individual samples in which the volume of each individual sample is proportional to the flow, or the sample frequency is proportional to time.
- B. The terms "Director", "Division", and "Department" refer to the Director, Division of Environment, Kansas Department of Health and Environment, respectively.
- C. "Severe property damage" means substantial physical damage to property, damage to the treatment/control facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a diversion.
- 3. Duty to Mitigate: The permittee shall take all reasonable steps to minimize or prevent any damage to the environment or hazard to human health from any discharge in violation of this permit.
- 4. Test Procedures: All analyses required by this permit shall conform to the requirements of 40 CFR Part 136, unless otherwise specified, and shall be conducted in a laboratory accredited by the Department. For each measurement or sample, the permittee shall record the exact place, date, and time of measuring/sampling; the date and time of the analyses, the analytical techniques or methods used, minimum detection or reportable level, and the individual(s) who performed the measuring/sampling and analysis and, the results. If the permittee monitors any pollutant at the location(s) designated herein more frequently than required by this permit, using approved procedures, the results shall be included in the Monitoring Report form required in 1.B. above. Such increased frequencies shall also be indicated.
- 5. Change in Discharge: All stormwater discharges shall be in compliance with the conditions of the permit. Modification or expansion of the storm sewer system is allowed. All new storm sewer segments and outfalls constructed after the effective date of the permit, which are located within the permit area, are authorized under the permit and must comply with the permit conditions.
- 6. Proper Operations and Maintenance: The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the requirements of this permit and Kansas and Federal law.

7. Incident Reporting: The permittee shall report any unanticipated significant incidents which would be expected to result in non-compliance with the permit requirements within 24 hours from the time the permittee became aware of the incident. A written submission shall be provided within 5 days of the time the permittee became aware of the incident. The written submission shall contain a description of the noncompliance and its cause, the period of noncompliance, including exact dates and times; and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance.

For an anticipated incident or any planned changes or activities in the permitted control/treatment facility that may result in noncompliance with the permit requirements, the permittee shall submit written notice, if possible, at least ten days before the date of the event.

- 8. Removed Substances: Solids, sludges, debris, or other pollutants removed in the course of control/treatment of stormwater shall be utilized or disposed of in a manner acceptable to the Division.
- 9. Right of Entry: The permittee shall allow authorized representatives of the Division of Environment or the Environmental Protection Agency upon the presentation of credentials, to enter upon the permittee's premises where a stormwater discharge or source is located, or in which are located any records required by this permit, and at reasonable times, to have access to and copy any records required by this permit, to inspect any facilities, monitoring equipment or monitoring method required in this permit, and to sample any stormwater discharges from or influents into the stormwater control/treatment facilities.
- 10. Transfer of Ownership: The permittee shall notify the succeeding owner or controlling person of the existence of this permit by certified letter, a copy of which shall be forwarded to the Division. The succeeding owner shall secure a new permit. This permit is not transferable to any person except after notice and approval by the Director. The Director may require modification or revocation and reissuance of the permit to change the name of the permittee and incorporate such other requirements as may be necessary.
- 11. Records Retention: Unless otherwise specified, all records and information resulting from the monitoring activities required by this permit, including all records of analyses and calibration and maintenance of instruments and recordings from continuous monitoring instruments, shall be retained for a minimum of 3 years, or longer if requested by the Division.
- 12. Availability of Records: Except for data determined to be confidential under 33 USC Section 1318, all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Department. Treated and raw stormwater data shall not be considered confidential. Knowingly making any false statement on any such report or tampering with equipment to falsify data may result in the imposition of criminal penalties as provided for in 33 USC Section 1319 and KSA 65-170c.
- 13. Permit Modifications and Terminations: As provided by KAR 28-16-62, after notice and opportunity for a hearing, this permit may be modified, suspended or revoked or terminated in whole or in part during its term for cause as provided, but not limited to those set forth in KAR 28-16-62 and KAR 28-16-28b through g. The permittee shall furnish to the Director, within a reasonable amount of time, any information which the Director may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit or to determine compliance with this permit. The permittee shall also furnish upon request, copies of all records required to be kept by this permit. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any permit condition.
- 14. Administrative, Civil and Criminal Liability: The permittee shall comply with all requirements of this permit. Nothing in this permit shall be construed to relieve the permittee from administrative, civil or criminal penalties for noncompliance as provided for in KSA 65-161 et seq., and 33 USC Section 1319.
- 15. Oil and Hazardous Substance Liability: Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities or penalties to which the permittee is or may be subject to under 33 USC Section 1321 or KSA 65-164 et seq. A permittee shall promptly notify the Division by telephone upon discovering crude oil or any petroleum derivative in its storm sewer system or stormwater control/treatment facilities.

Standard Conditions Page 42 of 43

- 16. Property Rights: The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights nor any infringements of or violation of federal, state or local laws or regulations.
- 17. Severability: The provisions of this permit are severable. If any provision of this permit or any circumstance is held invalid, the application of such provision to other circumstances and the remainder of the permit shall not be affected thereby.
- 18. Removal from Service: The permittee shall inform the Division at least three months before any control/treatment unit, or any other part of the control/treatment facility permitted by this permit is to be removed from service and shall make arrangements acceptable to the Division to decommission the facility or part of the facility being removed from service such that the public health and waters of the state are protected.
- 19. Duty to Reapply: A permit holder wishing to continue any activity regulated by this permit after the expiration date, must apply for a new permit at least 180 days prior to expiration of the permit.