

Energy Range (Ft. Lb.)	Model	Manufacturer	Type	BPM	Striking Weight (Lbs.)	Total Weight (Lbs.)	Total Length (Ft.-In.)	Max. Stroke (Ft.-In.)	Jaw Dim.	Fuel Usage (GPH)
492000-315000	D200-42	DELMAG/HAMMER+STEEL	SINGLE	36-52	44100	125660 w/o	27'	11'2"	60"	15.3
394250-241470	D160-32	PILECO	SINGLE	36-46	35275	68795 w/o	25'10"	11'2"	48"	11.9
377260-242250	D150-42	DELMAG/HAMMER+STEEL	SINGLE	36-52	33070	72750 w/o	22'7"	11'5"	54"	12
350000-179500	D125-32	APE	SINGLE	34-45	27563	56,000 w/o	21'6"	13'4"	39"	9.43
350000-179478	D120-13	APE	SINGLE	34-44	27612	47994 w/c	20'4"	12'8"	36"	9.43
316610-150280	D125-42	DELMAG/HAMMER+STEEL	SINGLE	37-52	27560	51190 w/o	23'7"	11'6"	48"	10.5
308025-197135	D125-32	PILECO	SINGLE	36-45	27560	53616 w/o	25'6"	11'2"	48"	9.5
300000-157750	D100-13	APE	SINGLE	34-45	22050	45,000 w/o	20'4"	14'7"	36"	7.93
265000-157443	D100-13	DELMAG/HAMMER+STEEL	SINGLE	35-45	22100	43703 w/o	20'4"	12'0"	36"	7.93
265000-157443	I-100	ICE	SINGLE	35-45	22100	43700 w/o	20'4"	12'0"	36"	7.93
246390-157685	D100-13	PILECO	SINGLE	36-45	22045	44894 w/o	24'1"	11'2"	42"	7.9
225000-126185	D80-23	APE	SINGLE	36-45	17640	37275 w/o	20'4"	14'7"	36"	6.6
212420-126192	D80-23	DELMAG/HAMMER+STEEL	SINGLE	35-45	17700	36085 w/o	20'4"	12'1"	36"	6.60
212400-126192	I-80	ICE	SINGLE	35-45	17700	41920 w/o	20'4"	12'0"	36"	6.6
202400-79200	B-6505	BERMINGHAMMER	SINGLE	36-60	17600	38500 w/o	23'4"	11'6"	37.5"	3
198300	G4	BERMINGHAMMER	SINGLE	36-60	16805	33000 w/c	20'9"	11'9"	37.5"	3
197150-126100	D80-23	PILECO	SINGLE	36-45	17640	37275 w/o	23'7"	11'2"	42"	6.6
193477-347225	HMC15000	HMC	SINGLE	37-50	33069	72552 w/o	31'6"	10'6"	-	0
132500-60000	I20S-15	ICE	SINGLE	41-55	15000	26600 w/o	19'11"	8'10"	32"	4.2
176800	B-6505C	BERMINGHAMMER	SINGLE	39-60	22046	42946 w/o	23'4"	9'5"	37.5"	3
170000-80000	205S	ICE	SINGLE	40-55	20000	33500 w/o	17'11"	10'6"	32"	4.2
165000-78960	D62-22	APE	SINGLE	36-50	13675	27150 w/o	19'4"	14'7"	32"	5.28
165000-78960	I-62	ICE	SINGLE	35-50	14600	35964 w/o	19'4"	14'3"	32"	5.3
164620-78960	D62-22	DELMAG/HAMMER+STEEL	SINGLE	35-50	13700	26173 w/o	19'4"	12'1"	32"	5.28
161640-79200	D62-22	PILECO	SINGLE	36-50	13670	27077 w/o	22'7"	11'0"	32"	5.28
157320-231483	HMC10000	HMC	SINGLE	37-50	22046	48501 w/o	32'2"	10'6"	-	0
156400-61380	B-6005	BERMINGHAMMER	SINGLE	36-60	13640	34500 w/o	23'4"	11'6"	37.5"	3
149600-88000	MH80B	MITSUBISHI	SINGLE	42-60	17600	43600 w/o	19'6"	14'10"	42"	8-12
141000-63360	MB70	MITSUBISHI	SINGLE	38-60	15840	46000 w/o	19'6"	8'11"	42"	7-10
135100-79500	MH72B	MITSUBISHI	SINGLE	38-60	15900	44000 w/o	19'6"	14'10"	42"	7-10
127500-90000	DE-150/110	MKT	SINGLE	40-50	15000	32150 w/c	19'10"	10'9"	32"	7
127500-90000	DE-150/110C	MKT	SINGLE	40-50	15000	32150 w/c	19'11"	10'0"	32"	7
122250-52260	D46-32	APE	SINGLE	36-53	10145	19600 w/o	17'4"	13'4"	30"	4.23
122140-52260	D46-32	DELMAG/HAMMER+STEEL	SINGLE	35-53	10143	18720 w/o	17'4"	12'4"	30"	4.23
120000-48000	I20S	ICE	SINGLE	38-55	12000	23800 w/o	19'8"	12'6"	32"	4.2
117000-62500	D55	DELMAG/HAMMER+STEEL	SINGLE	36-47	12128	26300 w/o	17'9"	9'8"	32"	5.50
107700-52260	I-46	ICE	SINGLE	36-53	10145	22751 w/o	17.4	12'4"	32"	4.2
107280-54320	D46-32	PILECO	SINGLE	37-52	10145	19580 w/o	18'4"	10'7"	32"	4.23
105800-41400	B-5505	BERMINGHAMMER	SINGLE	36-60	9200	21400 w/o	21'8"	11'6"	32"	2.2
105000-48400	D46-23	DELMAG/HAMMER+STEEL	SINGLE	37-53	10143	19900 w/o	17'3"	10'5"	30"	3.3
104101-203700	HMC8800	HMC	SINGLE	37-50	19400	37037 w/o	27'5"	10'6"	-	0
100000-32000	80S	ICE	SINGLE	38-55	8000	15400 w/o	18'11"	12'6"	26"	2.9
100000-40000	200S	ICE	SINGLE	53-70	20000	33600 w/o	17'0	5'0"	32"	4
100000-40000	100S	ICE	SINGLE	38-55	10000	18800 w/o	19.0	10'6"	32"	3.5

Energy Range (Ft. Lb.)	Model	Manufacturer	Type	BPM	Striking Weight (Lbs.)	Total Weight (Lbs.)	Total Length (Ft.-In.)	Max. Stroke (Ft.-In.)	Jaw Dim.	Fuel Usage (GPH)
95321-173618	HMC7500	HMC	SINGLE	37-50	16535	34171 w/o	25'6"	10'6"	-	0
93500-66000	DE-150/110	MKT	SINGLE	40-50	11000	27150 w/c	17'10"	10'9"	32"	5.7
93500-66000	DE-150/110C	MKT	SINGLE	40-50	11000	28150 w/c	19'11"	10'0"	32"	5.7
92752-39000	K45	KOBE	SINGLE	39-60	9920	25300 w/o	18'6"	9'2"	36"	4.5-5.5
92000	B-5505C	BERMINGHAMMER	SINGLE	42-60	11500	23700 w/o	21'8"	8'0"	32"	2.2
90540-40900	D36-32	APE	SINGLE	36-53	7940	17400 w/o	17'4"	13'9"	30"	3.04
90540-40900	D36-32	DELMAG/HAMMER+STEEL	SINGLE	36-53	7938	16515 w/o	17'4"	11'4"	30"	3.04
90540-40900	I-36	ICE	SINGLE	35-53	7940	20550 w/o	17'4"	12'1"	32"	3
90000-36000	90S	ICE	SINGLE	38-55	9000	16800 w/o	21'8"	11'6"	32"	4
87400-34200	B-5005	BERMINGHAMMER	SINGLE	35-60	7600	19800 w/o	21'8"	11'6"	26"	2.2
87000-43000	D44	DELMAG/HAMMER+STEEL	SINGLE	37-56	9500	22300 w/o	15'11"	9'2"	32"	5.5
85400-50200	MH45	MITSUBISHI	SINGLE	42-60	10500	24600 w/o	17'11"	11'5"	36"	4.6
84000-37840	M43	MITSUBISHI	SINGLE	40-80	9460	22660 w/o	16'3"	8'10"	37"	4-6
83950-42500	D36-32	PILECO	SINGLE	37-52	7940	17375 w/o	18'4"	10'7"	32"	3.04
83100-38000	D36-23	DELMAG/HAMMER+STEEL	SINGLE	37-53	7938	17700 w/o	17'4"	10'5"	30"	3
79500	J44	IHI	SINGLE	42-70	9720	21500 w/o	14'10"	8'2"	37"	6.86
79000	K42	KOBE	SINGLE	39-60	9260	23000 w/o	18'6"	8'6"	36"	4.5-5.5
75900-29700	B-4505	BERMINGHAMMER	SINGLE	36-60	6600	16100 w/o	19'1"	11'6"	26"	2.1
75452-35383	D30-32	DELMAG/HAMMER+STEEL	SINGLE	36-52	6615	12855 w/o	17'3"	11'4"	26"	2.64
75400-35300	D30-32	APE	SINGLE	36-53	6615	14600 w/o	17'3"	12'6"	26"	2.64
72340-131943	HMC5700	HMC	SINGLE	37-50	12566	23809 w/o	24'10"	10'6"	-	0
72182-31700	K35	KOBE	SINGLE	39-60	7720	19100 w/o	17'8"	9'2"	30"	3-4
71700-35383	I-30	ICE	SINGLE	35-53	6615	14250 w/o	16'1"	12'4"	26"	2.6
70000-36100	I070	ICE	DOUBLE	64-68	10000	32500 w/o	17'10"	7'0"	32"	3.5
70000-42000	DE-70/50C	MKT	SINGLE	40-50	7000	16285 w/c	17'11"	11'6"	26"	3.3
70000-28000	70S	ICE	SINGLE	38-55	7000	14100 w/o	16'8"	10'0"	26"	2.1
69990-35435	D30-32	PILECO	SINGLE	37-52	6615	13472 w/o	17'10"	10'7"	26"	2.64
66380-29486	D25-32	DELMAG/HAMMER+STEEL	SINGLE	35-42	5513	11752 w/o	17'3"	12'4"	26"	2.11
66300-29484	D25-32	APE	SINGLE	36-53	5515	13,500 w/o	17'3"	13'9"	26"	2.11
66100-33700	D30-23	DELMAG/HAMMER+STEEL	SINGLE	38-54	6615	13150 w/o	17'2"	10'0"	26"	1.7
65600-38600	MH35	MITSUBISHI	SINGLE	42-60	7720	18500 w/o	17'3"	11'0"	32"	3.4-5
64600-29040	M33	MITSUBISHI	SINGLE	40-60	7260	16940 w/o	13'2"	8'0"	32"	3.4-5
64000-36000	B-4505C	BERMINGHAMMER	SINGLE	42-60	8000	17500 w/o	19'1"	8'0"	26"	2.1
63500	J35	IHI	SINGLE	72-70	7730	16900 w/o	14'6"	8'3"	32"	4.76
63000-34650	3000	F.E.C.	SINGLE	40-60	6600	13200 w/c	17'0"	10'6"	26"	2.8-4.2
60100	K32	KOBE	SINGLE	39-60	7050	16250 w/o	17'8"	8'6"	30"	3-4
60000-26000	60S	ICE	SINGLE	41-59	6000	13900 w/o	17'0"	10'5"	26"	2.1
59500-42000	DE-70/50B	MKT	SINGLE	40-50	7000	16035 w/c	16'11"	8'6"	26"	3.3
58300-29510	D25-32	PILECO	SINGLE	37-52	5515	12370 w/o	17'10"	10'7"	26"	2.11
57500-22500	B-4005	BERMINGHAMMER	SINGLE	36-60	5000	14500 w/o	19'1"	11'0"	26"	2.1
55320-29740	D21-42	DELMAG/HAMMER+STEEL	SINGLE	35-50	4630	10540 w/o	17'5"	11'9"	26"	2
54250-23800	D30	DELMAG/HAMMER+STEEL	SINGLE	39-60	6615	12300 w/o	14'3"	8'2"	26"	2.9
54000-22500	B-400	BERMINGHAMMER	SINGLE	38-60	5000	16000 w/c	19'4"	10'10"	26"	1.5
52250-115742	HMC5000	HMC	SINGLE	37-50	11023	22266 w/o	23'4"	10'6"	-	0

Energy Range (Ft. Lb.)	Model	Manufacturer	Type	BPM	Striking Weight (Lbs.)	Total Weight (Lbs.)	Total Length (Ft.-In.)	Max. Stroke (Ft.-In.)	Jaw Dim.	Fuel Usage (GPH)
51520-23500	JK25	KOBE	SINGLE	39-60	5510	13200 w/o	17'6"	9'3"	26"	2.5-3
50000-25100	660	ICE	DOUBLE	84-88	7564	24480 w/o	17'4"	6'7"	32"	3.25
50000-30000	DE-70/50C	MKT	SINGLE	40-50	5000	14285 w/c	17'11"	11'6"	26"	3.3
50000-27500	2500	F.E.C.	SINGLE	40-60	5500	12100 w/c	17'0"	10'6"	20"	2.8-4.2
48500-24500	D22-23	DELMAG/HAMMER+STEEL	SINGLE	38-52	4850	11400 w/o	17'2"	10'0"	26"	1.6
46900-27550	MH25	MITSUBISHI	SINGLE	42-60	5510	13200 w/o	16'8"	10'9"	26"	2.4-4
46000-18000	B-3505	BERMINGHAMMER	SINGLE	36-60	4000	10500 w/o	18'6"	11'0"	26"	1.4
45020-104181	HMC4500	HMC	SINGLE	37-50	9922	18662 w/o	24'1"	10'6"	-	0
45000-20240	M23	MITSUBISHI	SINGLE	42-60	5060	11220 w/o	14'1"	8'10"	26"	2.4-3.7
44800	DE50C	BSP	SINGLE	42-54	4980	10300 w/o	14'4"	9'0"	26"	2.68
43225-21510	I-19	ICE	SINGLE	35-53	4015	9800 w/o	15'6"	12'1"	20"	1.8
43225-21510	D19-42	DELMAG/HAMMER+STEEL	SINGLE	35-52	4015	8046 w/o	15'6"	10'3"	20"	1.45
42800-20500	D19-32	DELMAG/HAMMER+STEEL	SINGLE	37-53	4015	8046 w/o	15'6"	10'3"	20"	1.45
42800-20500	D19-42	APE	SINGLE	36-53	4190	10200 w/o	15'6"	12'4"	20"	1.45
42500-30000	DE-70/50B	MKT	SINGLE	40-50	5000	14035 w/c	16'11"	6'6"	26"	3.3
42500-30000	DA-55C	MKT	SINGLE	40-50	5000	17635 w/c	17'4"	10'6"	26"	2.7
42480-21510	D19-32	PILECO	SINGLE	37-52	4015	8365 w/o	16'10"	10'7"	21"	2.00
42000-25200	DE-42/35	MKT	SINGLE	40-50	4200	10250 w/c	18'0"	10'0"	26"	3
41300	K22	KOBE	SINGLE	39-60	4850	11300 w/o	17'4"	8'6"	26"	2.5-3
40888-81028	HMC3500	HMC	SINGLE	37-50	7717	15057 w/o	24'1"	10'6"	-	0
40500-16875	B-300	BERMINGHAMMER	SINGLE	38-60	3750	9892 w/c	18'4"	10'10"	26"	1.2
40200-18871	D16-32	APE	SINGLE	36-52	3528	8850 w/c	15'6"	11'5"	20"	1.45
40200-18800	D16-42	APE	SINGLE	36-53	3530	9,600 w/o	15'6"	13'2"	20"	1.45
40200-18871	D16-32	DELMAG/HAMMER+STEEL	SINGLE	36-52	3530	7560 w/o	15'6"	11'5"	20"	1.45
40000-24000	DE-33/30/20C	MKT	SINGLE	40-50	4000	9400 w/c	15'11"	10'6"	26"	3
40000	B-3505C	BERMINGHAMMER	SINGLE	42-60	5000	11500 w/o	18'6"	8'0"	26"	1.4
40000-16000	40S	ICE	SINGLE	38-55	4000	7500 w/o	15'9"	10'0"	20"	1.2
40000-25400	640	ICE	DOUBLE	74-77	6000	14160 w/o	15'7"	6'8"	26"	3
39700	D22	DELMAG/HAMMER+STEEL	SINGLE	42-60	4850	11200 w/o	14'2"	8'2"	26"	2.9
39100-12000	J22	IHI	SINGLE	42-70	4850	10800 w/o	14'0"	10'0"	26"	3.2
38200-31200	DA-55C	MKT	DOUBLE	78-82	5000	17635 w/c	17'4"	-	26"	3
36000-24000	DE-40	MKT	SINGLE	40-50	4000	11275 w/c	14'0"	10'6"	20"	3
35000-21000	DE-42/35	MKT	SINGLE	40-50	3500	9550 w/c	18'0"	10'0"	26"	2
34500-13500	B-3005	BERMINGHAMMER	SINGLE	36-60	3000	9500 w/o	18'6"	11'	26"	1.4
34000-24000	DA-45	MKT	SINGLE	40-50	4000	15525 w/c	15'1"	10'6"	26"	2.5
33990-15660	D12-42	DELMAG/HAMMER+STEEL	SINGLE	35-52	2830	5730 w/o	15'5"	12'0"	20"	0.95
33000-19800	DE-33/30/20C	MKT	SINGLE	40-50	3300	8700 w/c	15'11"	10'6"	20"	2
31200-15660	D12-32	DELMAG/HAMMER+STEEL	SINGLE	36-52	2820	5730 w/o	15'6"	11'1"	20"	.95
31200-15600	D12-32	APE	SINGLE	36-53	2650	8,000 w/o	15'5"	12'4"	20"	0.95
30700-18500	DA-45	MKT	DOUBLE	78-82	4000	15525 w/c	15'1"	-	26"	2.8
30200-15660	I-12	ICE	SINGLE	37-52	2822	5730 w/o	15'5"	11'5"	20"	1
30000-17000	520	ICE	DOUBLE	80-84	5070	13400 w/o	13'7"	5'11"	26"	1.35
29840-15100	D12-42	PILECO	SINGLE	37-52	2820	5730 w/o	15'10"	10'7"	21"	1.20
29456-57876	HMC2500	HMC	SINGLE	37-50	5512	11772 w/o	23'7"	10'6"	-	0

Energy Range (Ft. Lb.)	Model	Manufacturer	Type	BPM	Striking Weight (Lbs.)	Total Weight (Lbs.)	Total Length (Ft.-In.)	Max. Stroke (Ft.-In.)	Jaw Dim.	Fuel Usage (GPH)
29400-13500	B-225	BERMINGHAMMER	SINGLE	39-60	3000	9142 w/c	18'4"	9'10"	26"	1.2
28100-16550	MH15	MITSUBISHI	SINGLE	42-60	3310	8400 w/o	16'1"	10'3"	26"	1.3-2
28050-19800	DE-33/30/20B	MKT	SINGLE	40-50	3300	8700 w/c	15'11"	8'6"	20"	2
28000-16800	DE-33/30/20C	MKT	SINGLE	40-50	2800	8200 w/c	15'11"	10'6"	20"	2
27100-14900	1500	F.E.C.	SINGLE	40-60	3300	7225 w/c	15'8"	10'12"	20"	1.5-2.3
27100	D15	DELMAG/HAMMER+STEEL	SINGLE	40-60	3300	6615 w/o	13'11"	8'2"	20"	1.75
27000	DE30C	BSP	SINGLE	42-54	3000	7600 w/o	14'2"	9'0"	26"	1.7
26300-17700	520	LINKBELT	DOUBLE	80-84	5070	12545 w/o	13'6"	5'3"	26"	1.35
26000-11000	32S	ICE	SINGLE	41-60	3000	5725 w/o	15'3"	8'8"	20'	0.8
26000-11800	M14S	MITSUBISHI	SINGLE	42-60	2970	7260 w/o	13'6"	8'9"	26"	1.3-2.2
25428-13200	K13	KOBE	SINGLE	40-60	2870	7800 w/o	16'8"	8'6"	26"	.75-2
25200-16800	DE-30	MKT	SINGLE	40-50	2800	9075 w/c	15'0"	10'6"	20"	2
23800-16800	DE-33/30/20B	MKT	SINGLE	40-50	2800	8200 w/c	15'11"	8'6"	20"	2
23800-16800	DA-35C	MKT	SINGLE	40-50	2800	11750 w/c	18'0"	10'6"	20"	1.7
23000	B-23	BERMINGHAMMER	DOUBLE	82	2800	9940 w/c	20'10"	4'6"	26"	1.9
23000	B-2005	BERMINGHAMMER	SINGLE	36-60	2000	6600 w/o	16'8"	11'6"	26"	1
22500	D12	DELMAG/HAMMER+STEEL	SINGLE	42-60	2750	6050 w/o	13'11"	8'2"	20"	1.75
22500-9000	422	ICE	DOUBLE	76-82	4000	9750 w/o	13'11"	5'8"	22"	1
22500-9000	30S	ICE	SINGLE	44-67	3000	6250 w/o	12'4"	7'6"	20"	0.8
22500-12375	1200	F.E.C.	SINGLE	40-60	2750	6540 w/c	15'6"	10'10"	20"	1.5-2.3
21506-43985	HMC1900	HMC	SINGLE	37-50	4189	8774 w/o	23'5"	10'6"	-	0
21000-15600	DA-35C	MKT	DOUBLE	78-82	2800	11750 w/c	18'0"	-	20"	2.7
20400-9000	B-200	BERMINGHAMMER	SINGLE	38-58	2000	6940 w/c	15'0"	10'2"	-	1.2
20100-9434	D8-22	DELMAG/HAMMER+STEEL	SINGLE	36-52	1770	4000 w/o	15'5"	10'3"	20"	1
20100-9434	I-8	ICE	SINGLE	36-52	1770	4000 w/o	15'5"	11'4"	20"	1
20100-8800	D8-32	APE	SINGLE	36-53	1765	4,400 w/o	15'5"	12'6"	20"	1
20000-12000	DE-33/30/20C	MKT	SINGLE	40-50	2000	7400 w/c	15'11"	10'6"	20"	2
18901-34724	HMC1500	HMC	SINGLE	37-50	3307	7275 w/o	23'4"	10'6"	-	0
18760-9480	D8-22	PILECO	SINGLE	37-52	1770	4000 w/o	15'5"	10'7"	21"	1.00
42000-16000	42S	ICE	SINGLE	37-55	4088	7610 w/o	16'1"	10'3"	20"	1.3
18000-7500	312	LINKBELT	DOUBLE	100-105	3857	10375 w/o	10'9"	4'8"	26"	1.1
18000-12000	DE-20	MKT	SINGLE	40-50	2000	6325 w/c	13'3"	9'6"	20"	1.6
17000-12000	DE-33/30/20B	MKT	SINGLE	40-50	2000	7400 w/c	15'11"	8'6"	20"	2
13500-6300	D6-32	DELMAG/HAMMER+STEEL	SINGLE	38-52	1325	3570 w/o	12'5"	10'2"	20"	.70
9350-6600	DA-15C	MKT	SINGLE	40-50	1100	5700 w/c	13'11"	10'6"	20"	1
9100	D5	DELMAG/HAMMER+STEEL	SINGLE	42-60	1100	2730 w/o	12'6"	9'4"	20"	1.32
8800-6600	DE-10	MKT	SINGLE	40-50	1100	3518 w/c	12'2"	9'0"	20"	.90
8200-6600	DA-15C	MKT	DOUBLE	86-92	1100	5700 w/c	13'11"	-	20"	1.8
8100-4060	180	ICE	DOUBLE	90-95	1725	4645 w/o	11'3"	4'9"	20"	0.65
	D4	DELMAG/HAMMER+STEEL	SINGLE	50-60	836	1360 w/o	7'9"	4'4"	-	.21
1900-700	D1	APE	SINGLE	38-45	221	500 w/o	6'8"	9'2"	8"	0.25
1815-868	D2	DELMAG/HAMMER+STEEL	SINGLE	60-70	484	792 w/o	6'9"	3'8"	-	.13